Author Index to Volume 24

(References with (L) are to Letters to the Editor)

Acampora, Fred M., Albert S. Tompa, and Norman O. Smith. Homogenization of solid solutions. A proposed new technique—1104(L)

Adam, J., R. Coekelbergs, A. Frennet, and P. A. Gosselain. Elementary steps in catalytic exchange reactions—1267(L)

Ahearn, A. J. and J. T. Law. Russell effect in silicon and germanium—633(L)

Alder, B. J. (see McLellan, A. G.)—115

Alexander, Leroy and Stephen R. Darin. Erratum: X-ray diffraction study of four reinforcing carbon blacks—1118(L)

Allen, Augustine O. (see Schuler, Robert H.)—56

Allen, Harry C., Jr., L. R. Blaine, and Earle K. Plyler. Infrared spectrum of hydrogen sulfide from 2200–2800 cm^{-1}—35

—— (see Plyler, Earle K.)—95

Allin, Elizabeth J., T. Feldman, and H. L. Welsh. Raman spectra of liquid and solid hydrogen—1116(L)

Altshuller, A. P. Entropies of hydration of gaseous oxyanions—642

Amat, Gilbert, Mark Goldsmith, and Harald H. Nielsen. Influence of Fermi resonance on the centrifugal stretching constant of a linear molecule—44

—— (see Goldsmith, Mark)—1178

Anders, Edward, R. N. Sen Sarma, and P. H. Kato. Search for technetium-98 by neutron activation analysis—622(L)

Andersen, F. Allan, Børge Bak, and Svend Brodersen. Normal vibration frequencies of CD_3F. Structure of CH_3F and CD_3F from infrared and microwave spectra—989

Andersen, W. H. and D. F. Hornig. Shock front thickness and bulk viscosity in polyatomic gases—767

Anderson, R. Christian (see Wolfgang, Richard L.)—16

Anno, Tosinobu (see Matubara, Ikuo)—595

Araki, Gentaro. Plasma oscillation of π electrons in carotenoids—1269(L)

Arendale, William F. and William H. Fletcher. Some vibration-rotation bands of ketene—581

Arnold, James R. "Smoothed potential" theory of chemical binding—181

Aschenbrand, Leonard M. (see Zelikoff, Murray)—1034

Aston, John G., H. Segall, and N. Fuschillo. Molecular rotation and translation in crystals. Nuclear magnetic resonance absorption, heat capacity, and entropy of crystalline solid solutions of 2,2-dimethylbutane in 2,3-dimethylbutane from 10°K to 273°K—1061

—— (see Fuschillo, N.)—1277(L)

Ayscough, P. B. Rate of recombination of radicals. II. The rate of recombination of trifluoromethyl radicals—944

Baba, H. (see Higasi, K.)—623(L)

Bailey, T. L. (see Muschlitz, E. E., Jr.)—1202

Bair, Edward J., John T. Lund, and Paul C. Cross. Detection of free radical absorption spectra by chemical modulation—961

Bak, Børge. Calculation of potential barriers for ethane-like symmetric tops—918(L)

——, **Daniel Christensen, Lise Hansen, and John Rastrup-Andersen.** Microwave determination of the structure of pyrrole—720

—— (see Andersen, F. Allan)—989

Baker, Miriam L. (see Lodge, James P.)—716

Banks, E. (see Heinz, D. M.)—391

Bartell, L. S. Observation of anomalous dispersion of adsorbed films by ellipsometry—1108(L)

—— **and R. A. Bonham.** On the free electron treatment of electrophilic substitution in aniline—909(L)

Bauman, Robert P. Selection rules for a freely rotating ethane-type molecule—13

Beckel, Charles LeRoy. Improved vibrational potential for diatomic molecules—553

—— Linear extrapolation of the vibrational energy levels of ionic molecules—923(L)

Bellemans, A. (see Prigogine, I.)—518

Benedict, W. S., N. Gailar, and Earle K. Plyler. Rotation-vibration spectra of deuterated water vapor—1139

—— **and Earle K. Plyler.** Interaction of stretching vibrations and inversion in ammonia—904(L)

Bennett, Clarence E. (see Coffin, Victor H.)—98

Bennett, J. E. (see George, Philip)—627(L)

Bennett, Winifred (see Garrison, Warren M.)—631(L)

—— **and Charles S. Copeland.** Exact method for the calculation of coexistent densities from Van der Waals' type equations: a correction—905(L)

Bernstein, H. J. Application of the vibrational sum rule to halogenated ethylenes—910(L)

—— Constitutive nature of the heat capacity of gases—911(L)

—— Power series for the temperature dependence of the heat capacity of gases—911(L)

—— **and W. G. Schneider.** Nuclear magnetic resonance spectra of conjugated aromatic hydrocarbons—468(L)

—— **and W. G. Schneider.** Nuclear magnetic resonance spectra of pyridine and some deuterated and methylated pyridines—469(L)

Bersohn, R. Proton hyperfine interactions in semiquinone ions—1066

Bestul, A. B. Kinetics of capillary shear degradation in concentrated polymer solutions—1196

Bhatia, A. B. (see Wu, Ta-You)—48

Bierlein, James A. and Charles R. Finch. Criterion for allowable angular deviation in Schlieren measurements of the Soret coefficient—486(L)

Birdsall, C. M. (see Shull, E. R.)—147

Birnbaum, G. (see Maryott, A. A.)—1022

Biswas, D. C. (see Sirkar, S. C.)—470(L)

Blaine, L. R. (see Allen, Harry C., Jr.)—35

Boato, G., G. Careri, A. Cimino, E. Molinari, and G. G. Volpi. Homogeneous exchange reaction between hydrogen and deuterium—783

Bockris, J. O'M. Kinetics of activation controlled consecutive electrochemical reactions: anodic evolution of oxygen—817

—— (see Borucka, A. Z.)—1282(L)

—— (see Conway, B. E.)—834

Bonham, R. A. (see Bartell, L. S.)—909(L)

Borucka, A. Z., J. O'M. Bockris, and J. A. Kitchener. Test of the applicability of the Nernst-Einstein equation to self-diffusion and conduction of ions in molten sodium chloride—1282(L)

Brackett, Thomas E. Dissociation energy of carbon monoxide—1103(L)

Brady, G. W. X-ray study of tellurium oxide glass—477(L)

Brandt, Werner. Calculation of intermolecular force constants from polarizabilities—501

Brealey, Graham J. Misassignment of the multiplicity forbidden transitions in pyridine—571

Bredig, M. A. Thermal expansion and stability of layer structures in ionic *AB* compounds—1037
—— **and E. R. Van Artsdalen.** Zinc and cadmium chloride complexes in molten salts—478(L)
Bregman, Judith. Use of punched card machines for computing sums of products. The application to electron diffraction calculations—405
Brill, Rudolf (see Zaromb, Sol)—895
Brodersen, Svend (see Andersen, F. Allan)—989
Broersma, S. Nuclear magnetic relaxation of nonuniform systems—153, 659
Broida, H. P. and O. S. Lutes. Abundance of free atoms in solid nitrogen condensed at 4.2°K from a gas discharge —484(L)
Brown, L. Carlton and Dudley Williams. Quadrupolar splitting of the Al^{27} and Be^{9} magnetic resonances in beryl crystals—751
Brown, R. D. and Anne Penfold. Comparison of SCFMO and ASMOCI calculations of electron densities—1259(L)
Brown, Theodore L. Kinetic interpretation of the temperature dependence of infrared absorption—1281(L)
Bruce, C. R., R. E. Norberg, and S. I. Weissman. Measurement of the rate of an electron exchange reaction by nuclear magnetic resonance spectroscopy—473(L)
Brumberger, H. and R. A. Marcus. Kinetic study of the reaction of diborane with phosphine—741
Bryce, W. A. (see Ingold, K. U.)—360
Bueche, F. Derivation of the WLF equation for the mobility of molecules in molten glasses—418
——, **J. K. Wood, and J. R. Wray.** Variation of viscosity of coiling polymers with shear rate—903(L)
Burnelle, Louis. Electronic absorption spectrum of the thiophosgene molecule—620(L)
Burtt, Benjamin P. (see Zahlan, Antoine B.)—478(L)

Cahill, Joseph M. and Charles R. Mueller. Quantum-mechanical study of the inductive effect—513
Callear, A. B. and R. J. Cvetanović. Isotopic effects and collisional deactivation in the mercury photosensitized decomposition of ethylene—873
Cannon, C. G. Infrared frequency shifts and amide group interactions—491(L)
Careri, G. (see Boato, G.)—783
Carlson, E. H. and R. D. Spence. Paramagnetic resonance in $Cu(NH_3)_4SO_4 \cdot H_2O$—471(L)
Carpenter, D. K. and W. R. Krigbaum. On the question of the correct values for Rayleigh's ratio—1041
Castle, Barbara J., Laurens Jansen, and John M. Dawson. On the second virial coefficients for assemblies of nonspherical molecules—1078
Chen, P. S. K. (see Wheland, G. W.)—67
Chen, Tien Chi. Evaluation of auxiliary functions in molecular theory—1268(L)
Cheung, H. (see Hexter, R. M.)—1186
Christensen, Daniel (see Bak, Børge)—720
Chupka, William A., Mark G. Inghram, and Richard F. Porter. Dissociation energy of gaseous LaO—792
Cimino, A. (see Boato, G.)—783
Cleveland, Forrest F. (see Zietlow, James P.)—142
Clusius, P. A. K., M. Huber, H. Hürzeler, and E. Schumacher. Preparation of the rare isotope Ne^{21}—167(L)
Coekelbergs, R. (see Adam, J.)—1267(L)
Coffin, Victor H. and Clarence E. Bennett. Molar refraction of carbon dioxide and its dependence on density when stored in steel containers—98
Coggeshall, N. D. (see Hughes, R. H.)—489(L)
Cohen, A. D. and C. Reid. Long wave ultraviolet spectrum of formaldehyde—85
Cohn, Henry, C. K. Ingold, and H. G. Poole. Rotation-resisting energy barrier in the nitric acid molecule—162(L)
Conway, B. E., J. O'M. Bockris, and Hedda Linton. Proton conductance and the existence of the H_3O^+ ion—834
Conway, John G. (see Cunningham, B. B.)—1275(L)
—— (see Gruen, D. M.)—1115(L)
Cook, Melvin A., G. Smoot Horsley, W. S. Partridge, and W. O. Ursenbach. Velocity-diameter and wave shape measurements and the determination of reaction rates in TNT—60
—— **and Robert T. Keyes.** Rate of reaction of TNT in detonation by direct pressure measurements—191
Copeland, Charles S. (see Benson, Sidney W.)—905(L)
Corbató, F. J. On the computation of auxiliary functions for two-center integrals by means of a high-speed computer —452
Cowan, R. D. and W. Fickett. Calculation of the detonation properties of solid explosives with the Kistiakowsky-Wilson equation of state—932
Craig, D. P. and J. R. Walsh. Intermolecular effects in naphthalene crystal spectra—471(L)
Craig, R. S. (see Waite, T. R.)—634(L)
Crawford, Bryce, Jr. (see Hisatsune, I. C.)—1257(L)
Cross, Paul C. (see Bair, Edward J.)—961
—— (see Taylor, Robert C.)—41
Cunningham, B. B., D. M. Gruen, John G. Conway, and Ralph D. McLaughlin. Fluorescence spectrum of Pu^{+3} in $LaCl_3$—1275(L)
—— (see Gruen, D. M.)—1115(L)
Curtiss, C. F. Kinetic theory of nonspherical molecules—225
Cvetanović, R. J. (see Callear, A. B.)—873

Dahler, John S. (see Hirschfelder, Joseph O.)—1258(L)
Darin, Stephen R. (see Alexander, Leroy)—1118(L)
Dawson, John M. (see Castle, Barbara J.)—1078
Dayal, B. and C. Purushothaman. Equation of state of solids—1257(L)
Dean, C. and E. Lindstrand. Polymorphism of *para*-dichlorobenzene—1114(L)
de Launay, Jules. Debye characteristic temperature at 0°K of certain cubic crystals—1071
DeLoach, Bernard C. and Wave H. Shaffer. Note on vibrations of linear chains of particles—1114(L)
de Maine, P. A. D. Iodine complexes in inert solvents. I. I_2–I_2 in carbon tetrachloride and in *n*-heptane—1091
Denise, Francis J. (see Leidheiser, Henry, Jr.)—625(L)
Deshmukh, M. B. Dependence of Joshi effect on the frequency of the applied voltage—472(L)
Dewhurst, H. A. Radiation chemistry of *n*-hexane and cyclohexane liquids—1254(L)
Dibeler, Vernon H. (see Reese, Robert M.)—1175
Dobbs, E. R. Equation of state and elasticity of solid argon —477(L)
Dodson, Richard W. (see Wolfgang, Richard L.)—16
Dondes, S. (see Harteck, P.)—619(L)
Dows, David A. and Robert M. Hexter. Infrared spectra of gaseous and solid digermane—1029
—— **and Robert M. Hexter.** Infrared spectrum of digermane; ν_5 and ν_7 bands—1117(L)
—— (see Porter, Richard F.)—1270(L)
Drew, Charles M. (see McNesby, James R.)—1260(L)
Dreyfus, Russell W. (see Rosenwasser, Hyman)—184
Drickamer, H. G. (see Emery, A. H., Jr.)—620(L)
—— (see Fishman, Edwin)—548
—— (see Winter, F. R.)—492(L)

Edeskuty, F. J. (see Hoffman, C. J.)—124
Edgell, Walter F. and Ralph M. Potter. Vibrational spectrum of CF_3CN—80

Ehrlich, Gert. State of nitrogen adsorbed on tungsten. II—482(L)
—— (see Hickmott, T. W.)—1263(L)
Eischens, R. P. (see Pliskin, W. A.)—482(L)
Ellison, Frank O. (see Parr, Robert G.)—1106(L)
El-Sabban, M. Z. (see Narasimham, N. A.)—420
Emery, A. H., Jr., and H. G. Drickamer. Erratum: Thermal diffusion in polymer solutions—620(L)
Englert-Chwoles, A. (see Prigogine, I.)—518
Epstein, Leo F. (see Zimm, Bruno H.)—279
Evans, D. F. "Donor-acceptor" complex formation by high polymers—1244
Evett, Arthur A. Ground state of the helium-hydride ion —150
Eyring, Henry, J. Calvin Giddings, and Lowell G. Tensmeyer. Flame propagation: The random walk of chemical energy—857

Farmer, J. B., I. H. S. Henderson, F. P. Lossing, and D. G. H. Marsden. Free radicals by mass spectrometry. IX. Ionization potentials of CF_3 and CCl_3 radicals and bond dissociation energies in some derivatives—348
——, **F. P. Lossing, D. G. H. Marsden, and C. A. McDowell.** Free radicals by mass spectrometry. VIII. The ionization potentials of *para-*, *ortho-*, and *meta*-xylyl radicals—52
Feldman, T. (see Allin, Elizabeth J.)—1116(L)
Ferguson, Eldon E. Infrared spectra of polyethylene and long chain *n*-paraffins—1115(L)
Ferguson, J. Solvent effects in aromatic π-π electronic spectra—1263(L)
Ferigle, Salvador M. (see Krupp, Robert H.)—355
Fickett, W. (see Cowan, R. D.)—932
Finch, Charles R. (see Bierlein, James A.)—486(L)
Finch, Jack N. and Ellis R. Lippincott. Hydrogen bond systems: Temperature dependence of OH frequency shifts and OH band intensities—908(L)
Fishman, Erwin and H. G. Drickamer. Effect of pressure on the frequency of the O—H band in butanol solutions —548
Fixman, Marshall. Erratum: Excluded volume in polymer chains—174(L)
Fletcher, William H. (see Arendale, William F.)—581
Fox, David and Shaul Yatsiv. Symmetry assignment of the second excited singlet electronic state of anthracene —1103(L)
Fraenkel, George K. (see Venkataraman, Balu)—737
France, W. L. (see Rossmann, Kurt)—1007
Francini, M. (see Piontelli, R.)—1113(L)
Fraser, R. D. B. Interpretation of infrared dichroism in fibrous proteins—the 2μ region—89
Freed, Simon (see Sayre, Edward V.)—1211, 1213
Freitag, Walter O. and Eugene R. Nixon. Infrared spectra of gaseous and crystalline cyanogen halides—109
Frennet, A. (see Adam, J.)—1267(L)
Friedland, S. S. (see Jacobson, A.)—637(L)
Friedman, Lewis (see Koski, W. S.)—221
Friedman, Raymond. Analysis of flame-traverse studies with gas-sampling probes—1268(L)
Frisch, H. L. and Robert Simha. Monolayers of linear macromolecules—652
Fristrom, Robert M. Flame zone studies. II. Applicability of one-dimensional models to three-dimensional laminar Bunsen flame fronts—888
Frost, D. C. (see McDowell, C. A.)—173(L)
Fryburg, George C. Enhanced oxidation of platinum in activated oxygen—175
Fujita, Hiroshi. Effects of a concentration dependence of the sedimentation coefficient in velocity ultracentrifugation —1084
Fuschillo, N. and J. G. Aston. Nuclear magnetic resonance as a method for detecting relaxation phenomena of molecules adsorbed on surfaces—1277(L)
—— (see Aston, John G.)—1061
Fuson, Nelson (see Josien, Marie-Louise)—1261(L)

Gailar, N. (see Benedict, W. S.)—1139
Garrison, Warren M., Winifred Bennett, and Michael Jayko. Mechanism in the radiolysis of aqueous formic acid solutions—631(L)
—— **and Boyd M. Weeks.** Mechanism in the radiolysis of aqueous glycine solutions—616(L)
Garvin, David and John D. McKinley, Jr. Rate of the reaction: $H+O_3 \rightarrow OH+O_2$. An analysis of a product emitter flame—1256(L)
Gehauf, Bernard (see Hilsenrod, Arthur)—914(L)
Gela, Theodore. Chemical reactions with white and gray tin—1009
Geller, S. Crystal structure of gadolinium orthoferrite, $GdFeO_3$—1236
George, Philip, J. E. Bennett, and D. J. E. Ingram. Paramagnetic resonance spectra from single crystals of hemoglobin derivatives—627(L)
——, **D. S. McClure, J. S. Griffith, and L. E. Orgel.** Ligand field theory and the stability of transition metal compounds—1269(L)
Gerri, Norman J. (see Kaufman, Frederick)—32
Ghormley, John A. Luminescence of ice subjected to ionizing radiation—1111(L)
—— (see Livingston, Ralph)—483(L)
Giddings, J. Calvin (see Eyring, Henry)—857
Gilleo, M. A. Magnetic properties of a gadolinium orthoferrite, $GdFeO_3$, crystal—1239
Gilles, Paul W. (see Kolsky, Harwood G.)—828
Girifalco, L. A. Potential energy of a molecule in a liquid: calculations for argon—617(L)
Giulotto, L., G. Lanzi, and L. Tosca. Nuclear relaxation and molecular association in liquids—632(L)
Glazer, Herbert and Howard Reiss. Erratum: Calculation of the dipole moment of the carbon-hydrogen bond in methane by the Thomas-Fermi method—174(L)
Godbole, E. W. New type of beta-, gamma-ray detector—166(L)
Golden, S. A. (see Martin, D. S., Jr.)—1114(L)
Goldsmith, Mark, Gilbert Amat, and Harald H. Nielsen. Higher order rotation-vibration energies of polyatomic molecules, I—1178
—— (see Amat, Gilbert)—44
Goldstein, J. H. Molecular orbital treatment of conjugation in vinyl chloride, with inclusion of overlap—507
—— Quadrupole coupling and bond character in the vinyl halides—106
—— (see Staats, P. A.)—916(L)
Gomer, R. (see Wortman, R.)—161(L)
Goodrich, Frank C. Hole theory of liquids and the lattice approximation—172(L)
Gordon, Alvin S. (see McNesby, James R.)—1260(L)
Gordy, Walter and W. J. Orville Thomas. Electronegativities of the elements—439
Gosselain, P. A. (see Adam, J.)—1267(L)
Green, H. S. Cell and cell-cluster models for liquids—732
Griffing, Virginia, J. P. Hoare, and Joseph T. Vanderslice. Studies of the interaction between atoms and stable molecules. VI. The interaction of a Be atom with an H_2 molecule—71
Griffith, J. S. (see George, Philip)—1269(L)
Grossweiner, L. I. Metastable states of photoexcited ovalbumin and constituents—1255(L)

Gruen, D. M., John G. Conway, R. D. McLaughlin, and B. B. Cunningham. Fluorescence spectrum of Am^{+3} in $LaCl_3$—1115(L)
——, **J. G. Malm, and B. Weinstock.** Magnetic susceptibility of plutonium hexafluoride—905(L)
—— (see Cunningham, B. B.)—1275(L)
Gunton, R. C. (see Ollom, J. F.)—487(L)
—— (see Rexroad, H. N.)—625(L)
Gupta, V. S. Boiling point and critical temperature of *n*-paraffins—164(L)
Guy, Jean and Jacques Tillieu. New method for the calculation of molecular magnetic susceptibilities—1117(L)

Haas, C. (see Ketelaar, J. A. A.)—624(L)
Hahn, Harold T. Correlation of symmetrical vibration frequencies—921(L)
Halford, J. O. Stretching force constant of the carbonyl bond in unconjugated ketones—830
Hameka, H. F. and A. M. Liquori. Effect of sp^2 hybridization of lone pair electrons on the bond angle of nitrogen —1262(L)
Hammel, E. F. (see Hoffman, C. J.)—124
Hammerle, William G. and John G. Kirkwood. Dielectric dispersion of polyvinyl acetate in toluene—1277(L)
Hansen, Lise (see Bak, Børge)—720
Harada, Roy H. Surface area and particle size of evaporated lead sulfide films—447
Harnik, E. On chromic isomerism in dianthrone and its analogs—297
Harris, F. W., N. A. Narasimham, and J. Rud Nielsen. Vibrational spectra of fluorinated aromatics. XII. *m*-fluorochlorobenzene—1232
Harris, Frank E. and Stuart A. Rice. Chain model for polyelectrolytes. IV. Skeletal distribution effects in equimolar polyampholytes—336
—— **and Stuart A. Rice.** Model for ion-exchange resins—1258(L)
—— (see Rice, Stuart A.)—326
Harshbarger, F. Simultaneous light-absorption and emission measurements behind a shock wave—1261(L)
Harteck, P. and S. Dondes. Fixation of nitrogen by ionizing radiation as nitrogen dioxide and nitrous oxide—619(L)
Hashimoto, Masahisa, Takehiko Shimanouchi, and Sanichiro Mizushima. Molecular form of crystalline symmetric tetrabromoethane—172(L)
Hayakawa, Sohachiro (see Oshima, Keichi)—903(L)
Heastie, R. Use of vapor pressure measurements for the determination of phase equilibrium diagrams of condensed binary mixtures—490(L)
Heinz, D. M. and E. Banks. Growth and some properties of a large single crystal of cadmium selenide—391
Heller, Wilfried and Thomas L. Pugh. Stabilization and coagulation of colloidal solutions with polyelectrolytes—1107(L)
Hellund, E. J. Temperature dependence of the viscosity of liquids—1173
Henderson, I. H. S. (see Farmer, J. B.)—348
Herron, J. T. and H. I. Schiff. Mass spectrometry of ozone —1266(L)
Hershberger, W. D. Magnetic effects in phosphors under illumination—168(L)
Hexter, Robert M. and H. Cheung. Infrared absorption anisotropy of crystalline iodoform—1186
—— (see Dows, David A.)—1029, 1117(L)
Heymann, D. and J. Kistemaker. Separation of some isotopes by convection diffusion—165(L)
Hickmott, T. W. and Gert Ehrlich. Binding states of diatomic molecules on tungsten—1263(L)
Higasi, K., I. Omura, and H. Baba. Ionization potentials of xylenes and picolines—623(L)
Higuchi, Jiro. Electronic structures of NH, NH_2, and NH_3 —535
Hill, Douglas G. and Alexander F. Rosenberg. Infrared absorption spectra of complex cobalt compounds—1219
Hillig, W. B. and D. Turnbull. Theory of crystal growth in undercooled pure liquids—914(L)
Hilsenrod, Arthur. Irradiation of chloral hydrate solutions —917(L)
—— **and Bernard Gehauf.** Iodide-metaphosphate glass—914(L)
Hirschfelder, Joseph O. and John S. Dahler. Kinetic energy of relative motion—1258(L)
Hisatsune, I. C. and Bryce Crawford, Jr. On the molecular complex NO_4—1257(L)
Hoare, J. P. (see Griffing, Virginia)—71
Hoffman, C. J., F. J. Edeskuty, and E. F. Hammel. Adsorption of He^3 and He^4 on activated charcoal—124
Holler, V. A. (see Homiakov, K. G.)—486(L)
Homiakov, K. G., V. A. Holler, and V. A. Troshkina. On the question of specific heat and nature of transformation of $MgCd_3$—486(L)
Honig, J. M. Use of interpolation theory in the analysis of gas adsorption isotherms. III. Application to low-temperature data—510
Honnold, V. R. (see Silver, M.)—1280(L)
Hornig, Donald F. (see Andersen, W. H.)—767
—— (see Mullhaupt, J. T.)—169(L)
—— (see Wray, Kurt L.)—1271(L)
Horsley, G. Smoot (see Cook, Melvin A.)—60
Houk, N. B. (see Wilkinson, P. G.)—528
Howe, J. A. (see Turner, T. E.)—924(L)
Howgate, D. W. (see Rexroad, H. N.)—625(L)
Hoyer, W. A. and A. W. Nolle. Behavior of liquid-crystal compounds near the isotropic-anisotropic transition—803
Huber, M. (see Clusius, P. A. K.)—167(L)
Hughes, Richard H. Structure of ozone from the microwave spectrum between 9000 and 45 000 Mc—131
——, **R. J. Martin, and N. D. Coggeshall.** Temperature dependence of infrared absorption—489(L)
Hürzeler, H. (see Clusius, P. A. K.)—167(L)
Hutchison, Dwight A. Critical ionization potentials using a parallel-plate energy selector—628(L)

Imanishi, Sunao and Mitsuo Ito. Near ultraviolet absorption spectrum of tropolone vapor—1272(L)
Inghram, Mark G. (see Chupka, William A.)—792
Ingold, C. K. (see Cohn, Henry)—162(L)
Ingold, K. U. and W. A. Bryce. Mass spectrometric investigation of the hydrogen-oxygen and methyl-oxygen reactions—360
Ingram, D. J. E. (see George, Philip)—627(L)
Irsa, A. P. (see Koski, W. S.)—221
Irvine, John W., Jr. (see Sangster, Raymond C.)—670
Ito, Mitsuo and Wataru Mizushima. Analysis of the near ultraviolet absorption spectrum of pyridine *N*-oxide vapor —495
—— (see Imanishi, Sunao)—1272(L)
Itoh, Junkichi and Yukio Yamagata. Nuclear magnetic resonance studies of bromine nuclei in ammonium bromide —621(L)

Jacobs, G. Dielectric losses in additively colored NaCl and KBr—629(L)
Jacobson, A., J. Steigman, R. A. Strakna, and S. S. Friedland. Appearance potential study of $CBrF_3$—637(L)
Jansen, Laurens (see Castle, Barbara J.)—1078
Jatar, D. P. Werner's equation for low-frequency silent electric discharge in hydrogen—1273(L)

Jaunzemis, Walter (see Ruedenberg, Klaus)—201
Jayko, Michael (see Garrison, Warren M.)—631(L)
Jones, Llewellyn H. Determination of accurate water vapor calibration points for prism spectrometers in the region 1330–2100 cm^{-1}—1250
—— **and Eugene S. Robinson.** Infrared spectra and molecular constants of gaseous tritium bromide and tritium chloride—1246
—— (see Penneman, Robert A.)—293
Josien, Marie-Louise, Paul Pineau, Marcel Paty, and Nelson Fuson. Comparison of infrared and cryoscopic studies of solutions of pyrrole in nonpolar solvents. Formation of polymers—1261(L)
Jursa, A. S. (see Tanaka, Y.)—915(L)

Kagarise, R. E. Infrared spectra of crystalline symtetrabromo and tetrachloroethane—300
—— Rotational isomerism in 1,2-dibromo-2,2-difluorethane —1264(L)
Kamiyoshi, Kan-Ichi. Dielectric properties of ammonium iodide—1265(L)
Kaplan, L. D., M. V. Migeotte, and L. Neven. 9.6-micron band of telluric ozone and its rotational analysis—1183
Kasha, Michael (see McGlynn, Séan P.)—481(L)
—— (see Padhye, Madhu R.)—588
—— (see Viswanath, Gorthi)—574
Kato, P. H. (see Anders, Edward)—622(L)
Kaufman, Frederick, Norman J. Gerri, and Donald A. Pascale. Halogen catalyzed decomposition of nitrous oxide —32
Kaufman, Joyce J. and W. S. Koski. Infrared study of the B_2D_6–B_5H_9 exchange reaction—403
—— (see Koski, W. S.)—221
Kaufman, Martin H. and A. Greenville Whittaker. Vapor pressure of sebaconitrile—1104(L)
Kawaji, S. (see Kobayashi, A.)—907(L)
Keller, Fred L. and Alvin H. Nielsen. Grating measurements on $\tilde{\nu}_2$ of NO_2 at 200°C—636(L)
Ketelaar, J. A. A., C. Haas, and J. van der Elsken. Infrared absorption spectra of bifluorides in alkali halide disks: the formation of mixed crystals—624(L)
Keyes, Robert T. (see Cook, Melvin A.)—191
Kikuchi, Ryoichi. Shape distribution of two-dimensional soap froths—861
Kilb, Ralph W. (see Lin, Chun Chia)—631(L)
Kimura, Katsumi (see Kimura, Masao)—622(L)
Kimura, Masao, Katsumi Kimura, and Shuzo Shibata. On the bond length and the mean square amplitude of C–O bond in methyl alcohol—622(L)
Kirkwood, John G. and Richard J. Plock. Non-Newtonian viscoelastic properties of rod-like macromolecules in solution—665
—— (see Hammerle, William G.)—1277(L)
Kistemaker, J. (see Heymann, D.)—165(L)
Kistiakowsky, G. B. and Bruce H. Mahan. Stability of ethylidene radicals—922(L)
Kitchener, J. A. (see Borucka, A. Z.)—1282(L)
Klein, Ralph and Louis J. Schoen. Photodecomposition of formaldehyde; stability of the HCO radical—1094
Klemperer, William. Infrared spectrum of gaseous aluminum chloride—353
Kobayashi, A. and S. Kawaji. Adsorption and photoexcited adsorption of oxygen on zinc sulfide—907(L)
Kobayashi, Michio (see Tanaka, Jiro)—311
Kolsky, Harwood G. and Paul W. Gilles. Thermodynamic properties of gaseous zirconium—828
Komatsu, Chimao and Jun-ichi Shimokawa. Hydration energy of ions—1253(L)
Kor, S. K. (see Verma, G. S.)—163(L)
Koski, W. S., Joyce J. Kaufman, Lewis Friedman, and A. P. Irsa. Mass spectrometric study of the B_2D_6–B_5H_9 exchange reaction—221
—— (see Kaufman, Joyce J.)—403
Kowalchik, M. (see Trumbore, F. A.)—1112(L)
Krigbaum, W. R. (see Carpenter, D. K.)—1041
Krimm, S. and R. Schor. Structure of feather keratin—922(L)
Krupp, Robert H., Salvador M. Ferigle, and Alfons Weber. Calculation of depolarization factors of the Raman lines of CBr_3X molecules—355
Kruse, Howard W. (see Olsen, Allen L.)—1106(L)
Kusumoto, Hazime (see Oshima, Keichi)—913(L)
Kutschke, K. O. and D. E. McElcheran. Photolysis of acetone in the absence of mercury—618(L)

Lakshmi, K., K. Narahari Rao, and H. H. Nielsen. Molecular constants of nitrous oxide from measurements of ν_2 at 17μ—811
Lanzi, G. (see Giulotto, L.)—632(L)
Latimer, Paul and Eugene Rabinowitch. Selective scattering of light by pigment-containing plant cells—480(L)
Latter, Richard. Thomas-Fermi model of compressed atoms —280
Laurie, Victor W. Microwave spectrum and dipole moment of cyclopentadiene—635(L)
Law, J. T. (see Ahearn, A. J.)—633(L)
LeBlanc, F. J. (see Tanaka, Y.)—915(L)
Leidheiser, Henry, Jr., and Francis J. Denise. "Pseudomonocrystals" of *alpha*-titanium—625(L)
Levy, Paul W. (see Rosenwasser, Hyman)—184
Liehr, Andrew D. On the use of local symmetry in analyzing the infrared spectra of complex molecules—162(L)
Lin, Chun Chia and Ralph W. Kilb. Microwave spectrum and internal barrier of acetaldehyde—631(L)
Lindeman, Louis P. and M. Kent Wilson. Vibration spectra of some mixed halides of boron—242
Lindquist, R. H. and G. K. Rollefson. Relative rates of isomerization of cyclopropane and cyclopropane-t_1—725
Lindstrand, E. (see Dean C.)—1114(L)
Linton, Hedda (see Conway, B. E.)—834
Lippincott, Ellis R. (see Finch, Jack N.)—908(L)
Liquori, A. M. (see Hameka, H. F.)—1262(L)
Livingston, R. L. and D. H. Lyon. Electron diffraction investigation of the molecular structure of dichlorodifluoromethane—1283(L)
Livingston, Ralph, John Ghormley, and Henry Zeldes. Paramagnetic resonance observations on the condensed products of electric discharges through water vapor and related substances—483(L)
—— **and Henry Zeldes.** Paramagnetic resonance absorption in diphenylpicrylhydrazyl—170(L)
Lodge, James P., Miriam L. Baker, and John M. Pierrard. Observations on ion separation in dilute solutions by freezing—716
Longuet-Higgins, H. C. (see McEwen, K. Lenore)—771
Lord, R. C. and B. Nolin. Vibrational spectra of ethylene oxide and ethylene oxide-d_4—656
Los, J. M. and C. K. Tompkins. Adsorption of methylene blue on a positively charged mercury surface—630(L)
Lossing, F. P. (see Farmer, J. B.)—52, 348
Luckey, George W. and William West. Effect of bromine on the dark conductivity of silver bromide—879
Lund, John T. (see Bair, Edward J.)—961
Lundy, R. (see Wortman, R.)—161(L)
Lutes, O. S. (see Broida, H. P.)—484(L)
Lykos, Peter G. and Robert G. Parr. On the pi-electron approximation and its possible refinement—1166
—— (see Parr, Robert G.)—1106(L)
Lyon, D. H. (see Livingston, R. L.)—1283(L)

McClure, D. S. (see George, Philip)—1269(L)
McClure, Donald S. Excited states of the naphthalene molecule. II. Further studies on the first singlet-singlet transition—1
—— (see Sidman, Jerome W.)—757
McConnell, Harden M. Electron densities in semiquinones by paramagnetic resonance—632(L)
—— Indirect hyperfine interactions in the paramagnetic resonance spectra of aromatic free radicals—764
—— Molecular orbital approximation to electron coupled interaction between nuclear spins—460
—— Paramagnetic resonance absorption of Mn^{++} in single crystals of $CaCO_3$—904(L)
——, **C. A. Reilly, and A. D. McLean.** Nuclear spin coupling constants in halogenated olefins—479(L)
McDowell, C. A. Ionization potentials of ammonia and the excited states of the NH_3^+ ion—618(L)
—— **and D. C. Frost.** Spin-orbital interactions in molecular ions—173(L)
—— (see Farmer, J. B.)—52
McElcheran, D. E. (see Kutschke, K. O.)—618(L)
McEwen, K. Lenore and H. C. Longuet-Higgins. Electronic spectra of *cyclo*-octatetraene, tetraphenylene, and *s*-dibenz*cyclo*-octatetraene—771
McGlynn, Séan P. and Michael Kasha. Interpretation of the lowest frequency electronic absortion bands of inorganic molecules of type $XO_y^{z(-)}$ as $n \rightarrow \pi^*$ transitions—481(L)
—— (see Padhye, Madhu R.)—588
McKean, D. C. Infrared absorption intensities and bond moments in BF_3 and related molecules—1002
—— **and P. N. Schatz.** Absolute infrared intensities of vibration bands in ammonia and phosphine—316
McKinley, John D., Jr. (see Garvin, David)—1256(L)
McLain, William H., Jr. (see Rutner, Emile)—173(L)
McLaughlin, Ralph D. (see Cunningham, B. B.)—1275(L)
—— (see Gruen, D. M.)—1115(L)
McLean, A. D. (see McConnell, H. M.)—479(L)
McLellan, A. G. and B. J. Alder. Virial expansion for mixtures of rigid spheres—115
McNesby, James R., Charles M. Drew, and Alvin S. Gordon. Mechanism of the decomposition of primary and secondary *n*-butyl free radicals—1260(L)
Machlup, S. Vacancies in metallic sodium—169(L)
Mackenzie, J. D. Viscous flow and the constitution of liquid boron trioxide—925(L)
Magnuson, D. W. Microwave dielectric constant measurements—344
Mahan, Bruce H. (see Kistiakowsky, G. B.)—922(L)
Malm, J. G. (see Gruen, D. M.)—905(L)
Manheimer, Y. (see Nahmani, G.)—1074
Mann, D. E., J. H. Meal, and Earle K. Plyler. Vibrational spectrum of tetrabromoethylene—1018
Marcus, R. A. Electrostatic free energy and other properties of states having nonequilibrium polarization. I—979
—— On the theory of oxidation-reduction reactions involving electron transfer. I—966
—— (see Brumberger, H.)—741
Margrave, John L. Use of mass spectrometric appearance potentials in thermochemical calculations. I. Consistency relationships for methane and substituted methanes, and the heat of formation of CH_3F—475(L)
—— Use of mass spectrometric appearance potentials in thermochemical calculations. II. Chlorofluoromethanes and the dissociation energy of fluorine—476(L)
Marsden, D. G. H. (see Farmer, J. B.)—52, 348
Martin, D. S., Jr., R. E. Rundle, and S. A. Golden. Icosahedral coordination number 12—1114(L)
Martin, R. J. (see Hughes, R. H.)—489(L)
Maryott, A. A. and G. Birnbaum. Microwave absorption in compressed gases; saturated hydrocarbons—1022
Mashima, M. Dipole moment of NF_3—489(L)
Mason, Edward A. (see Reisfeld, Martin J.)—171(L)
Matsen, F. A. Electron affinities, methyl affinities, and ionization energies of condensed ring aromatic hydrocarbons—602
Matubara, Ikuo and Tosinobu Anno. Analysis of the near ultraviolet absorption spectrum of 1,2,4,5-tetrachlorobenzene vapor—595
Mavroides, John G. Pressure coefficient of the dielectric constant of water—398
Mawardi, Osman K. (see Young, James E.)—1109(L)
Meal, Harlan C. Zeeman quadrupole spectra of *p*-chloroaniline and *p*-chlorobenzylchloride—1011
Meal, J. H. (see Mann, D. E.)—1018
Meal, Janet Hawkins and S. R. Polo. Vibration-rotation interaction in polyatomic molecules. I. The zeta matrices—1119
—— **and S. R. Polo.** Vibration-rotation interaction in polyatomic molecules. II. The determination of Coriolis coupling coefficients—1126
—— **and M. Kent Wilson.** Infrared spectra of some deuterated silanes—385
Meister, Arnold G. (see Zietlow, James P.)—142
Merriam, C. Neale, Jr., and Henry C. Thomas. Adsorption studies on clay minerals. VI. Alkali ions on attapulgite—993
Migeotte, M. V. (see Kaplan, L. D.)—1183
Miller, Foil A. Infrared spectrum of benzene-d_6—996
Miller, Robert C. and Charles P. Smyth. Microwave absorption and molecular structure in liquids. XII. Critical wavelengths and intermolecular forces in the tetrahalogenated methanes—814
Mitra, Shashanka Shekhar (see Sanyal, Nitish Kumar)—473(L)
Miyazawa, Tatsuo, Takehiko Shimanouchi, and San-ichiro Mizushima. Characteristic infrared bands of monosubstituted amides—408
Mizushima, San-ichiro (see Hashimoto, Masahisa)—172(L)
—— (see Miyazawa, Tatsuo)—408
Mizushima, Wataru (see Ito, Mitsuo)—495
Mohanty, S. R. Energetics and stability of intermolecular complexes in solution—170(L)
—— Temperature as a determinant of the current under electrodeless discharge—167(L)
Molinari, E. (see Boato, G.)—783
Monchick, Louis. Note on the theory of diffusion controlled reactions: application to photodissociation in solution—381
Morgan, H. W. (see Staats, P. A.)—916(L)
Morgan, L. O., J. Murphy, and A. W. Nolle. Proton spin relaxation in water-glycerin solutions of chromium (III) ions—906(L)
Mori, Yuji. Doublet states of benzyl radical—1253(L)
Morino, Yonezo. Infrared spectra of gaseous hexachlorodisilane—164(L)
Mueller, Charles R. (see Cahill, Joseph M.)—513
Mullhaupt, J. T. and D. F. Hornig. Raman spectrum of the hydronium ion—169(L)
Mulliken, Robert S. Erratum: Report on notation for the spectra of polyatomic molecules—1118(L)
Murgai, M. P. Equation of state from the theory of detonation—635(L)
Murphy, J. (see Morgan, L. O.)—906(L)
Muschlitz, E. E., Jr., T. L. Bailey, and J. H. Simons. Elastic and inelastic scattering of low-velocity H^- ions in hydrogen—1202

Myers, Vernon. Intermolecular forces in ethane—924(L)
Mysels, Karol J. Electrodiffusion: a fluctuation method for measuring reaction rates—371

Nachtrieb, Norman H. and Jean Petit. Self-diffusion in liquid mercury—746
—— (see Petit, Jean)—1027
Nagakura, Saburo (see Tanaka, Jiro)—311, 1274(L)
Nagano, Hiroshi (see Oshima, Keichi)—903(L)
Nagusa, Mahoko (see Oshima, Keichi)—903(L)
Nahmani, G. and Y. Manheimer. Detonation of nitromethane—1074
Namioka, Takeshi (see Watanabe, K.)—915(L)
Narasimham, N. A., M. Z. El-Sabban, and J. Rud Nielsen. Vibrational spectra of fluorinated aromatics. X. *p*-fluorochloro-, *p*-fluorobromo-, and *p*-fluoroiodobenzene—420
—— **and J. Rud Nielsen.** Vibrational spectra of fluorinated aromatics. XI. *o*-fluorochlorobenzene—433
—— (see Harris, F. W.)—1232
Nederbragt, G. W. and C. A. Reilly. Nuclear spin-lattice relaxation times of aromatic and aliphatic protons—1110(L)
Negita, Hisao and Sumio Satou. Pure quadrupole spectra of phosphonitrile chlorides—621(L)
Neven, L. (see Kaplan, L. D.)—1183
Newell, Gordon F. Vibration spectrum of graphite and boron nitride. I. The two-dimensional spectrum—1049
Nicholls, R. W. Franck-Condon factors $q_{v'v''}$ of molecular band systems and their interpolation—1104(L)
Nielsen, Alvin H. (see Keller, Fred L.)—636(L)
Nielsen, Harald H. (see Amat, Gilbert)—44
—— (see Goldsmith, Mark)—1178
—— (see Lakshmi, K.)—811
—— (see Rossmann, Kurt)—103, 1007
Nielsen, J. Rud (see Harris, F. W.)—1232
—— (see Narasimham, N. A.)—420, 433
Nitta, Isamu (see Tadokoro, Hiroyuki)—1118(L)
Nixon, Eugene R. (see Freitag, Walter O.)—109
Nolin, B. (see Lord, R. C.)—656
Nolle, A. W. (see Hoyer, W. A.)—803
—— (see Morgan, L. O.)—906(L)
Norberg, R. E. (see Bruce, C. R.)—473(L)

Ollom, J. F., A. A. Sinisgalli, H. N. Rexroad, and R. C. Gunton. Microwave spectrum and molecular structure of $(CH_3)_3SiBr$—487(L)
—— (see Rexroad, H. N.)—625(L)
Olsen, Allen L. and Howard W. Kruse. Infrared spectra of trimethylhydrazine and its oxidation products—1106(L)
Omura, I. (see Higasi, K.)—623(L)
Orgel, L. E. (see George, Philip)—1269(L)
Oshima, Keichi, Sohachiro Hayakawa, Hiroshi Nagano, and Mahoko Nagusa. Luminescence spectra of samarium in barium titanate at its transition—903(L)
—— **and Hazime Kusumoto.** Effect of elongation on the proton magnetic resonance of natural rubber—913(L)

Padhye, Madhu R., Sean P. McGlynn, and Michael Kasha. Lowest triplet state of anthracene—588
Pariser, Rudolph. Theory of the electronic spectra and structure of the polyacenes and of alternant hydrocarbons—250
Parker, Paul M. Nuclear quadrupole levels in single crystals—1096
Parr, Robert G., Frank O. Ellison, and Peter G. Lykos. Generalized antisymmetrized product wave functions for atoms and molecules—1106(L)
—— (see Lykos, Peter G.)—1166
Partridge, W. S. (see Cook, Melvin A.)—60
Pascale, Donald A. (see Kaufman, Frederick)—32
Paty, Marcel (see Josien, Marie-Louise)—1261(L)
Pease, R. N. (see Schubert, C. C.)—919(L)
Pemsler, J. Paul and W. G. Planet, Jr. Infrared spectrum of PF_5—920(L)
Penfold, Anne (see Brown, R. D.)—1259(L)
Penneman, Robert A. and Llewellyn H. Jones. Infrared absorption studies of aqueous complex ions. II. Cyanide complexes of Cu(I) in aqueous solution—293
Petit, Jean and Norman H. Nachtrieb. Self-diffusion in liquid gallium—1027
—— (see Nachtrieb, Norman H.)—746
Pierce, Louis. Determination of the potential constants of ozone from centrifugal distortion effects—139
Pierrard, John M. (see Lodge, James P.)—716
Pimentel, George C. and Charles H. Sederholm. Correlation of infrared stretching frequencies and hydrogen bond distances in crystals—639
Pineau, Paul (see Josien, Marie-Louise)—1261(L)
Piontelli, R., G. Sternheim, and M. Francini. Overvoltages and passivity in melted electrolytes—1113(L)
Planet, W. G., Jr. (see Pemsler, J. Paul)—920(L)
Pliskin, W. A. and R. P. Eischens. Infrared spectra of chemisorbed olefins and acetylene—482(L)
Plock, Richard J. (see Kirkwood, John G.)—665
Plyler, Earle K., Eugene D. Tidwell, and Harry C. Allen, Jr. Near infrared spectrum of nitrous oxide—95
—— (see Allen, Harry C., Jr.)—35
—— (see Benedict, W. S.)—904(L), 1139
—— (see Mann, D. E.)—1018
Polanyi, J. C. Erratum: Isotopic reaction rates between methyl and hydrogen—493(L)
Polo, S. R. Matrices D^{-1} and G^{-1} in the theory of molecular vibrations—1133
—— (see Meal, Janet Hawkins)—1119, 1126
Poole, H. G. (see Cohn, Henry)—162(L)
Pople, J. A. Proton magnetic resonance of hydrocarbons—1111(L)
Porter, Richard F. and David A. Dows. Blue emission from the vapor of burning boron—1270(L)
—— (see Chupka, William A.)—792
Posener, D. W. Asymmetric rotor. Convergence in the continued-fraction expansion of the reduced energies—546
Potter, Ralph M. (see Edgell, Walter F.)—80
Prigogine, I., A. Bellemans, and A. Englert-Chwoles. Statistical thermodynamics of solutions—518
Pugh, Thomas L. (see Heller, Wilfried)—1107(L)
Purushothaman, C. (see Dayal, B.)—1257(L)

Rabinowitch, Eugene (see Latimer, Paul)—480(L)
Rao, K. Narahari (see Lakshmi, K.)—811
—— (see Rossmann, Kurt)—103, 1007
Rastrup-Andersen, John (see Bak, Børge)—720
Reese, Robert M. and Vernon H. Dibeler. Ionization and dissociation of nitrogen trifluoride by electron impact—1175
Reid, C. (see Cohen, A. D.)—85
Reilly, C. A. (see McConnell, H. M.)—479(L)
—— (see Nederbragt, G. W.)—1110(L)
Reisfeld, Martin J. and Edward A. Mason. Calculation of kinetic theory collision integrals by interpolation—171(L)
Reiss, Howard (see Glazer, Herbert)—174(L)
Renzetti, N. A. Ozone in the Los Angeles atmosphere—909(L)
Rexroad, H. N., D. W. Howgate, R. C. Gunton, and J. F. Ollom. Microwave spectrum and molecular structure of $(CH_3)_3SiI$—625(L)
—— (see Ollom, J. F.)—487(L)

Rice, Francis Owen. Colors on Jupiter—1259(L)
Rice, Stuart A. Cell model for solutions and the additivity of free energies—1283(L)
—— On the free energy of solutions—357
—— **and Frank E. Harris.** Chain model for polyelectrolytes. III. Equimolar polyampholytes of regularly alternating structure—326
—— (see Harris, Frank E.)—336, 1258(L)
Robinson, Eugene S. (see Jones, Llewellyn H.)—1246
Roe, Glenn M. (see Zimm, Bruno H.)—279
Rollefson, G. K. (see Lindquist, R. H.)—725
Roothaan, C. C. J. Study of two-center integrals useful in calculations on molecular structure. IV. The auxiliary functions $C_{\alpha\beta}{}^{\gamma\delta\epsilon}(\rho_a,\rho_b)$ for $\alpha \geq 0$—947
—— (see Ruedenberg, Klaus)—201
Rosenbaum, B. M. and B. Welber. Specific heat and heat of transformation of $MgCd_3$—485(L)
Rosenberg, Alexander F. (see Hill, Douglas G.)—1219
Rosenwasser, Hyman, Russell W. Dreyfus, and Paul W. Levy. Radiation-induced coloring of sodium azide—184
Ross, John. Statistical mechanical theory of transport processes. IX. Contribution to the theory of Brownian motion—375
Rosser, Willis A., Jr., and Henry Wise. Thermal decomposition of nitrogen dioxide—493(L)
Rossmann, Kurt, W. L. France, K. Narahari Rao, and H. H. Nielsen. Infrared spectrum and molecular constants of carbon dioxide. Part II. Levels 10°0 and 02°0, 10°1 and 02°1 coupled by Fermi resonance—1007
——, **K. Narahari Rao, and Harald H. Nielsen.** Infrared spectrum and molecular constants of carbon dioxide. Part I. ν_2 of $C^{12}O_2{}^{16}$ at 15μ—103
—— **and Joseph W. Straley.** Fundamental absorption bands of H_2Te—1276(L)
Ruedenberg, Klaus, C. C. J. Roothaan, and Walter Jaunzemis. Study of two-center integrals useful in calculations on molecular structure. III. A unified treatment of the hybrid, Coulomb, and one-electron integrals—201
Rundle, R. E. (see Martin, D. S., Jr.)—1114(L)
Rutner, Emile, William H. McLain, Jr., and Karl Scheller. Thermodynamic functions of cyanogen and the equilibrium constant for the reaction $\frac{1}{2}C_2N_2 \rightleftharpoons CN$ between 1000° and 4500°K—173(L)

Sanderson, R. T. Electronegativities and bond energies—166(L)
Sangster, Raymond C. and John W. Irvine, Jr. Study of organic scintillators—670
Sanyal, Nitish Kumar and Shashanka Shekhar Mitra. Relation between viscosity and surface tension of liquids—473(L)
Sarma, R. N. Sen (see Anders, Edward)—622(L)
Satou, Sumio (see Negita, Hisao)—621(L)
Saxena, S. C. Evaluation of collision integrals occurring in higher approximations to diffusion coefficients—1209
Sayre, Edward V. and Simon Freed. Spectra and quantum states of the europic ion in crystals. I. Absorption spectrum of anhydrous europic chloride—1211
—— **and Simon Freed.** Spectra and quantum states of the europic ion in crystals. II. Fluorescence and absorption spectra of single crystals of europic ethylsulfate nonahydrate—1213
Schatz, P. N. (see McKean, D. C.)—316
Scheller, Karl (see Rutner, Emile)—173(L)
Schellman, John A. Dielectric saturation—912(L)
Schiff, H. I. (see Herron, J. T.)—1266(L)
Schissler, D. O. and D. P. Stevenson. Reactions of gaseous molecule ions with gaseous molecules. II—926(L)
Schneider, W. G. (see Bernstein, H. J.)—468(L), 469(L)
Schoen, Louis J. (see Klein, Ralph)—1094
Schor, R. (see Krimm, S.)—922(L)
Schubert, C. C. and R. N. Pease. Reaction of paraffin hydrocarbons with ozonized oxygen: Possible role of ozone in normal combustion—919(L)
Schuler, Robert H. and Augustine O. Allen. Yield of the ferrous sulfate radiation dosimeter: an improved cathode-ray determination—56
Schumacher, E. (see Clusius, P. A. K.)—167(L)
Scott, Allen B. (see Watson, L. Richard)—619(L)
Sears, Gerald W. Evaporation of perfect crystals—868
Sederholm, Charles H. (see Pimentel, George C.)—639
Segall, H. (see Aston, John G.)—1061
Seki, Syûzô (see Tadokoro, Hiroyuki)—1118(L)
Shaffer, Wave H. (see DeLoach, Bernard C.)—1114(L)
Sharma, J. Thermoluminescence of some aromatic hydrocarbons—39
Shaw, J. H. Nitric oxide fundamental—399
Shepp, Allan. Rate of recombination of radicals. I. A general sector theory; a correction to the methyl radical recombination rate—939
Shibata, Shuzo (see Kimura, Masao)—622(L)
Shida, Shoji (see Yamazaki, Hideo)—1278(L)
Shimanouchi, Takehiko (see Hashimoto, Masahisa)—172(L)
—— (see Miyazawa, Tatsuo)—408
Shimokawa, Jun-ichi (see Komatsu, Chimao)—1253(L)
Shull, E. R., R. A. Thursack, and C. M. Birdsall. Vibrational spectra of organosilicon compounds. I. Vinyltrichlorosilane—147
Sidman, Jerome W. and Donald S. McClure. Electronic and vibrational states of azulene—757
Sill, Richard C. and Adam S. Skapski. Method for the determination of the surface tension of solids, from their melting points in thin wedges—644
Silver, M. and V. R. Honnold. Alternating current conductivity study of oxygen chemisorption on PbS—1280(L)
Simha, Robert. On the degradation of branched chain molecules—796
—— (see Frisch, H. L.)—652
Simkin, Donald J. Surface tension of liquids: A note on a paper by Simons and Wilson—616(L)
Simons, J. H. (see Muschlitz, E. E., Jr.)—1202
Simpson, C. J. S. M. Out of the plane bending vibrations of planar molecules—1108(L)
Sinisgalli, A. A. (see Ollom, J. F.)—487(L)
Sirkar, S. C. and D. C. Biswas. On the fluorescence of *p*-chlorotoluene in the solid state at low temperatures—470(L)
Skapski, Adam S. (see Sill, Richard C.)—644
Slater, N. B. New formulation of gaseous unimolecular dissociation rates—1256(L)
Smith, Norman O. (see Acampora, Fred M.)—1104(L)
Smyth, Charles P. (see Miller, Robert C.)—814
Spence, R. D. (see Carlson, E. H.)—471(L)
Spindel, W. and T. I. Taylor. Preparation of 99.8% nitrogen-15 by chemical exchange—626(L)
Srivastava, B. N. and K. P. Srivastava. Combination rules for potential parameters of unlike molecules on exp-six model—1275(L)
Srivastava, K. P. (see Srivastava, B. N.)—1275(L)
Staats, P. A., H. W. Morgan, and J. H. Goldstein. Infrared spectra of T_2O, THO, and TDO—916(L)
Stanley, J. M. Vapor phase crystallization of cadmium sulfide crystals—1279(L)
Steese, C. M. and A. Greenville Whittaker. Spectrophotometric study of the liquid-phase equilibrium $N_2O_4 \rightleftharpoons 2NO_2$ in pure nitrogen tetroxide—776
Steigman, J. (see Jacobson, A.)—637(L)

Sternheim, G. (see Piontelli, R.)—1113(L)
Stevens, B. First-order deactivation of excited β-naphthylamine molecules with low vibrational energy reserve—488(L)
—— First-order decomposition of excited aniline molecules in the vapor phase—1272(L)
Stevenson, D. P. (see Schissler, D. O.)—926(L)
Strakna, R. A. (see Jacobson, A.)—637(L)
Straley, Joseph W. (see Rossmann, Kurt)—1276(L)
Stuart, A. V. and G. B. B. M. Sutherland. Effect of hydrogen bonding on the deformation frequencies of the hydroxyl group in alcohols—559
Sutherland, G. B. B. M. (see Stuart, A. V.)—559
Swalen, Jerome D. Note on the calculation of energy levels in molecules with internal torsion—1072

Tadokoro, Hiroyuki, Syûzô Seki, and Isamu Nitta. Errata: Infrared absorption spectrum of deuterated polyvinyl alcohol film—1118(L)
Tanaka, Jiro and Saburo Nagakura. Appearance of two intramolecular charge transfer absorptions observed with some disubstituted benzenes—1274(L)
——, **Saburo Nagakura, and Michio Kobayashi.** Ultraviolet and infrared absorption spectra of substituted acetophenones and benzoic acids—311
Tanaka, Y., A. S. Jursa, and F. J. LeBlanc. Hopfield's emission bands of O_2 in the region 1900–2350 A—915(L)
Taylor, Robert C. and Paul C. Cross. Raman spectra of hydrogen peroxide in condensed phases. I. The spectra of the pure liquid and its aqueous solutions—41
Taylor, T. I. (see Spindel, W.)—626(L)
Taylor, William J. Refinement of the Lennard-Jones and Devonshire theory of liquids and dense gases—454
Teegarden, K. J. V-centers in evaporated alkali halide films—161(L)
Tensmeyer, Lowell G. (see Eyring, Henry)—857
Thomas, Henry C. (see Merriam, C. Neale, Jr.)—993
Thomas, L. H. and K. Umeda. Dependence on atomic number of the diamagnetic susceptibility calculated from the Thomas-Fermi-Dirac model—1113(L)
Thomas, W. J. Orville (see Gordy, Walter)—439
Thurmond, C. D. (see Trumbore, F. A.)—1112(L)
Thursack, R. A. (see Shull, E. R.)—147
Tidwell, Eugene D. (see Plyler, Earle K.)—95
Tillieu, Jacques (see Guy, Jean)—1117(L)
Tompa, Albert S. (see Acampora, Fred M.)—1104(L)
Tompkins, C. K. (see Los, J. M.)—630(L)
Tosca, L. (see Giulotto, L.)—632(L)
Troshkina, V. A. (see Homiakov, K. G.)—486(L)
Trumbore, F. A., C. D. Thurmond, and M. Kowalchik. Germanium-oxygen system—1112(L)
Tsubomura, Hiroshi. Nature of the hydrogen bond. III. The measurement of the infrared absorption intensities of free and hydrogen-bonded OH bands. Theory of the increase of the intensity due to the hydrogen bond—927
Turnbull, D. (see Hillig, W. B.)—914(L)
Turner, T. E. and J. A. Howe. Determination of molecular structures from rotational spectra measurements—924(L)

Umeda, K. (see Thomas, L. H.)—1113(L)
Ursenbach, W. O. (see Cook, Melvin A.)—60

Van Artsdalen, E. R. (see Bredig, M. A.)—478(L)
van der Elsken, J. (see Ketelaar, J. A. A.)—624(L)
Vanderslice, Joseph T. (see Griffing, Virginia)—71
Van Uitert, L. G. High-resistivity nickel ferrites—the effect of minor additions of manganese or cobalt—306
Venkataraman, Balu and George K. Fraenkel. Proton-deuteron hyperfine structure in paramagnetic resonance: a π-σ interaction—737
Verma, G. S. and S. K. Kor. Temperature dependence of ultrasonic velocity in amyl acetate-toluene mixtures—163(L)
Vineyard, George H. Potential energy of a molecule in a liquid—617(L)
Viswanath, Gorthi and Michael Kasha. Confirmation of the anomalous fluorescence of azulene—574
Vivo, Juana L. (see Wertz, John E.)—479(L)
Volman, David H. Photochemical evidence relative to the excited states of oxygen—122
Volpi, G. G. (see Boato, G.)—783

Waite, T. R., W. E. Wallace, and R. S. Craig. Structures and phase relationships in the tantalum-hydrogen system between −145 and 70°C—634(L)
Wallace, W. E. (see Waite, T. R.)—634(L)
Walsh, J. R. (see Craig, D. P.)—471(L)
Watanabe, K. and Takeshi Namioka. Ionization potential of propyne—915(L)
Watson, L. Richard and Allen B. Scott. Determination of calcium in alkali halide crystals—619(L)
Weber, Alfons (see Krupp, Robert H.)—355
Weeks, Boyd M. (see Garrison, Warren M.)—616(L)
Weigl, John W. Spectroscopic properties of organic photoconductors. I. Absorption spectra of cationic dye films—364
—— Spectroscopic properties of organic photoconductors. II. Specular reflection spectra of cationic dye films—577
—— Spectroscopic properties of organic photoconductors. III. Action spectra for the photoconduction of cationic dye films—883
Weinstock, B. (see Gruen, D. M.)—905(L)
Weissman, S. I. (see Bruce, C. R.)—473(L)
Welber, B. (see Rosenbaum, B. M.)—485(L)
Welsh, H. L. (see Allin, Elizabeth J.)—1116(L)
Weltner, William, Jr. Rotational magnetic moment and diamagnetic susceptibility of methane—918(L)
Wentorf, R. H., Jr. Isotherms in the critical regions of carbon dioxide and sulfur hexafluoride—607
Wertz, John E. Hydration effects in chlorine-35 nuclear spin resonance—484(L)
—— **and Juana L. Vivo.** Electron spin resonance of 1,4-naphthosemiquinone ion—479(L)
West, William (see Luckey, George W.)—879
Wheland, G. W. and P. S. K. Chen. Some semiempirical quantum-mechanical calculations for ammonia and for diimide—67
White, J. R. Diffusion coefficient measurement with glass diaphragm cells—470(L)
Whittaker, A. Greenville. Magnetic susceptibility study of the liquid phase equilibrium $N_2O_4 \rightleftharpoons 2NO_2$ in pure nitrogen tetroxide—780
—— (see Kaufman, Martin H.)—1104(L)
—— (see Steese, C. M.)—776
Wijnen, M. H. J. Photolysis of ethane at 1470 A—851
Wilkinson, P. G. Absorption spectra and ionization potentials of benzene and benzene-d_6—917(L)
—— **and N. B. Houk.** Emission spectra of nitrogen in the vacuum ultraviolet—528
Williams, Dudley (see Brown, L. Carlton)—751
Wilson, M. Kent (see Lindeman, Louis P.)—242
—— (see Meal, Janet Hawkins)—385
Winter, F. R. and H. G. Drickamer. Thermal diffusion in single crystals of zinc—492(L)
Wise, Henry (see Rosser, Willis A., Jr.)—493(L)
Wolfgang, Richard L., R. Christian Anderson, and Richard W. Dodson. Bond rupture and nonrupture in the beta decay of carbon-14 studied by double isotopic labeling—16
Wolfsberg, Max. Excitation and dissociation of molecules due to β decay of a constituent atom—24

Wood, J. K. (see Bueche, F.)—903(L)
Wortman, R., R. Gomer, and R. Lundy. Surface diffusion of hydrogen and oxygen on tungsten—161(L)
Wray, J. R. (see Bueche, F.)—903(L)
Wray, Kurt L. and Donald F. Hornig. Dissociation energy of fluorine—1271(L)
Wu, Ta-You. On the coupling between electronic and nuclear motion and the Van der Waals' interaction between helium atoms—444
—— **and A. B. Bhatia.** On the coupling between electronic and nuclear motions in molecules—48

Yamagata, Yukio (see Itoh, Junkichi)—621(L)
Yamazaki, Hideo and Shoji Shida. Mercury photosensitized reaction of cyclo-octatetraene—1278(L)
Yamazaki, Masatoshi. Electronic structure of ferrocene—1260(L)
Yatsiv, Shaul (see Fox, David)—1103(L)
Yoshino, Tsuneo. Infrared studies on the solvent-solute interactions—76
Young, James E. and Osman K. Mawardi. Molecular absorption of sound in gases at high temperatures—1109(L)
Zahlan, Antoine B. and Benjamin P. Burtt. Proton transfer in the radiation chemistry of gaseous ammonia—478(L)
Zaromb, Sol. On the average dielectric relaxation time obtained by means of Cole plots—1110(L)
—— **and Rudolf Brill.** Solid solutions of ice and NH_4F and their dielectric properties—895
Zeldes, Henry (see Livingston, Ralph)—170(L), 483(L)
Zelikoff, Murray and Leonard M. Aschenbrand. Vacuum ultraviolet photochemistry. Part III. Acetylene at 1849 A—1034
Zietlow, James P., Forrest F. Cleveland, and Arnold G. Meister. Substituted ethanes. IV. The rotational isomers of 1,1,2,2-tetrachloroethane: assignments to the normal vibrations—142
Zimm, Bruno H. Dynamics of polymer molecules in dilute solution: viscoelasticity, flow birefringence and dielectric loss—269
——, **Glenn M. Roe, and Leo F. Epstein.** Solution of a characteristic value problem from the theory of chain molecules—279
Zwanzig, Robert W. Virial coefficients of "parallel square" and "parallel cube" gases—855

THE JOURNAL OF CHEMICAL PHYSICS VOLUME 24, NUMBER 6 JUNE, 1956

Analytic Subject Index to Volume 24

(References with (L) are to Letters to the Editor)

Absorption Spectra
Colors on Jupiter, Francis Owen Rice—1259(L)
Correlation of infrared stretching frequencies and hydrogen bond distances in crystals, George C. Pimentel and Charles H. Sederholm—639
Determination of accurate water vapor calibration points for prism spectrometers in the region 1330–2100 cm^{-1}, Llewellyn H. Jones—1250
Determination of the potential constants of ozone from centrifugal distortion effects, Louis Pierce—139
Erratum: Report on the notation for the spectra of polyatomic molecules, Robert S. Mulliken—1118(L)
First-order deactivation of excited β-naphthylamine molecules with low vibrational energy reserve, B. Stevens—488(L)
Higher order rotation-vibration energies of polyatomic molecules. I., Mark Goldsmith, Gilbert Amat, and Harald H. Nielsen—1178
Hydrogen bond systems: temperature dependence of OH frequency shifts and OH band intensities, Jack N. Finch and Ellis R. Lippincott—908(L)
Interpretation of infrared dichroism in fibrous proteins—the 2μ region, R. D. B. Fraser—89
Interpretation of the lowest frequency electronic absorption bands of inorganic molecules of type $XO_y^{z(-)}$ as $n\rightarrow\pi$ transitions, Sean P. McGlynn and Michael Kasha—481(L)
Kinetic interpretation of the temperature dependence of infrared absorption, Theodore L. Brown—1281(L)
Matrices D^{-1} and G^{-1} in the theory of molecular vibrations, S. R. Polo—1133
Molecular orbital approximation to electron coupled interaction between nuclear spins, H. M. McConnell—460
Selection rules for a freely rotating ethane-type molecule, Robert P. Bauman—13
Selective scattering of light by pigment-containing plant cells, Paul Latimer and Eugene Rabinowitch—480(L)
Simultaneous light-absorption and emission measurements behind a shock wave, F. Harshbarger—1261(L)
Solvent effects in aromatic π-π electronic spectra, J. Ferguson—1263(L)
Spectroscopic properties of organic photoconductors. I. Absorption spectra of cationic dye films, John W. Weigl—364
Spectroscopic properties of organic photoconductors. III. Action spectra for the photoconduction of actionic dye films, John W. Weigl—883
Spin-orbital interactions in molecular ions, C. A. McDowell and D. C. Frost—173(L)
Theory of the electronic spectra and structure of the polyacenes and of alternant hydrocarbons, Rudolph Pariser—250
Use of local symmetry in analyzing the infrared spectra of complex molecules, Andrew D. Liehr—162(L)
Infrared of
Aluminum chloride, gaseous, William Klemperer—353
Amide groups, C. G. Cannon—491(L)
Ammonia and phosphine, D. C. McKean and P. N. Schatz—316
Benzene-d_6, Foil A. Miller—996
BF_3 and related molecules, D. C. McKean—1002
Bifluorides in alkali halide disks: the formation of mixed crystals, J. A. A. Ketelaar, C. Haas, and J. van der Elsken—624(L)
Carbon dioxide. Part I. ν_2 of $C^{12}O_2^{16}$ at 15μ, Kurt Rossmann, K. Narahari Rao, and Harald H. Nielsen—103
Carbon dioxide. Part II. Levels 10°0 and 02°0, 10°1 and 02°1 coupled by Fermi resonance, Kurt Rossmann, W. L. France, K. Narahari Rao, and H. H. Nielsen—1007
CF_3CN, Walter F. Edgell and Ralph M. Potter—80

Chemisorbed olefins and acetylene, W. A. Pliskin and R. P. Eischens—482(L)
CH_3F and CD_3F from infrared and microwave spectra, F. Allan Andersen, Børge Bak, and Svend Brodersen —989
Complex cobalt compounds, Douglas G. Hill and Alexander F. Rosenberg—1219
Crystalline iodoform, R. M. Hexter and H. Cheung—1186
Cyanide complexes of Cu(I) in aqueous solution, Robert Penneman and Llewellyn H. Jones—293
Cyanogen halides, Walter O. Freitag and Eugene R. Nixon —109
Deformation frequencies of the hydroxyl group in alcohols, A. V. Stuart and G. B. B. M. Sutherland—559
Deuterated polyvinyl alcohol film, Errata, Hiroyuki Tadokoro, Syûzô Seki, and Isamu Nitta—1118(L)
Deuterated silanes, Janet Hawkins Meal and M. Kent Wilson—385
Deuterated water vapor, W. S. Benedict, N. Gailar, and Earle K. Plyler—1139
trans 1-4 dichlorocyclohexane in cyclohexane-dioxane, Tsuneo Yoshino—76
Digermane; ν_8 and ν_7 bands, David A. Dows and Robert M. Hexter—1117(L)
Ethylene oxide and ethylene oxide-d_4, R. C. Lord and B. Nolin—656
Fluorinated aromatics. X. *p*-Fluorochloro, *p*-fluorobromo-, and *p*-fluoroiodobenzene, N. A. Narasimham, M. Z. El-Sabban, and J. Rud Nielsen—420
Fluorinated aromatics. XI. *o*-Fluorochlorobenzene, N. A. Narasimham and J. Rud Nielsen—433
m-Fluorochlorobenzene, F. W. Harris, N. A. Narasimham, and J. Rud Nielsen—1232
III. Free and hydrogen-bonded OH bands. Theory of the increase of the intensity due to the hydrogen-bond, Hiroshi Tsubomura—927
Ge_2H_6, gaseous and solid, David H. Dows and R. M. Hexter—1029
Hexachlorodisilane, Yonezo Morino—164(L)
H_2Te, Kurt Rossmann and Joseph W. Traley—1275(L)
Hydrogen sulfide from 2200–2800 cm^{-1}, Harry C. Allen, Jr., L. R. Blaine, Earle K. Plyler, and Paul C. Cross —35
Ketene, William F. Arendale and William H. Fletcher —581
Mixed halides of boron, Louis P. Lindeman and M. Kent Wilson—242
Monosubstituted amides, Tatsuo Miyazawa, Takehiko Shimanouchi, and San-ichiro Mizushima—408
Nitric oxide, J. H. Shaw—399
Nitrous oxide, Earle K. Plyler, Eugene D. Tidwell, and Harry C. Allen, Jr.—95
$\tilde{\nu}_2$ of NO_2 at 200°C, Fred L. Keller and Alvin H. Nielsen —636(L)
ν_2 of N_2O at 17μ, K. Lakshmi, K. Narahari Rao, and H. H. Nielsen—811
O–H band in butanol solutions, effect of pressure on the frequency, Erwin Fishman and H. G. Drickamer—548
PF_5, J. Paul Pemsler and W. G. Planet, Jr.—920(L)
Polyethylene and long chain *n*-paraffins, Eldon E. Ferguson—1115(L)
Proton-deuteron hyperfine structure in paramagnetic resonance: A π-σ interaction, Balu Venkataraman and George K. Fraenkel—737
Pyrrole in nonpolar solvents. Formation of polymers, Marie-Louise Josien, Paul Pineau, Marcel Paty, and Nelson Fuson—1261(L)
Substituted acetophenones and benzoic acids, Jiro Tanaka, Saburo Nagakura, and Michio Kobayashi—311
Symtetrabromo and tetrachloroethane, R. E. Kagarise—300
Telluric ozone 9.6 micron band and its rotational analysis, L. D. Kaplan, M. V. Migeotte, and L. Neven—1183
Temperature dependence, R. H. Hughes, R. J. Martin, and N. D. Coggeshall—489(L)
Tetrabromoethylene, D. E. Mann, J. H. Mela, and Earle K. Plyler—1018
1,1,2,2-Tetrachloroethane: assignments of the normal vibrations, James P. Zietlow, Forrest F. Cleveland, and Arnold G. Meister—142
T_2O, THO, and TDO, P. A. Staats, H. W. Morgan, and J. H. Goldstein—916(L)
Trimethylhydrazine and its oxidation products, Allen L. Olsen and Howard W. Kruse—1106(L)
Tritium bromide and tritium chloride, gaseous, Llewellyn H. Jones and Eugene S. Robinson—1246
Vinyltrichlorosilane, E. R. Shull, R. A. Thursack, and C. M. Birdsall—147
Microwave of
Acetaldehyde, Chun Chia Lin and Ralph W. Kilb—631(L)
Al^{27} and Be^9 magnetic resonance in beryl crystals, L. Carlton Brown and Dudley Williams—751
Ammonia, W. S. Benedict and Earle K. Plyler—904(L)
Aromatic free radicals, Harden M. McConnell—764
Bromine nuclei in ammonium bromide, Junkichi Itoh and Yukio Yamagata—621(L)
p-Chloroaniline and *p*-chlorobenzylchloride, Harlan C. Meal—1011
$(CH_3)_3SiBr$, J. F. Ollom, A. A. Sinisgalli, H. N. Rexroad, and R. C. Gunton—487(L)
$(CH_3)_3SiI$, R. N. Rexroad, D. W. Howgate, R. C. Gunton, and J. F. Ollom—625(L)
Conjugated aromatic hydrocarbons, H. J. Bernstein and W. G. Schneider—468(L)
Crystalline solid solutions of 2,2-dimethylbutane in 2,3-dimethylbutane from 10°K to 273°K, John G. Aston, H. Segall, and N. Fuschillo—1061
$Cu(NH_3)_4SO_4 \cdot H_2O$, E. H. Carlson and R. D. Spence—471(L)
Cyclopentadiene, Victor W. Laurie—635(L)
para-Dichlorobenzene, C. Dean and E. Lindstrand—1114 (L)
Diphenylpicrylhydrzyl, Ralph Livingston and Henry Zeldes —170(L)
Halogenated olefins, H. M. McConnell, C. A. Reilly, and A. D. McLean—479(L)
Hydration effects in chlorine-35 nuclear spin resonance, John E. Wertz—484(L)
Mn^{++} in single crystals of CaO_3, Harden M. McConnell —904(L)
1,4-Naphthosemiquinone ion, John E. Wertz and Juana L. Vivo—479(L)
Natural rubber, effect of elongation on the proton resonance, Keichi Oshima and Hazime Kusumoto—913(L)
Ozone between 9000 and 45 000 Mc, Richard H. Hughes —131
Phosphonitrile chlorides, Hisao Negita and Sumio Satou —621(L)
Products of electric discharges through water vapor and related substances, Ralph Livingston, John Ghormley, and Henry Zeldes—483(L)
Pyridine and some deuterated and methylated pyridines, H. J. Bernstein and W. G. Schneider—469(L)
Pyrrole, Børge Bak, Daniel Christensen, Lise Hansen, and John Rastrup-Andersen—720
Saturated hydrocarbons, in compressed gases, A. A. Maryott and G. Birnbaum—1022
Single crystals of hemoglobin derivatives, Philip George, J. E. Bennett, and D. J. E. Ingram—627(L)

Absorption Spectra (continued)
Tetrahalogenated methanes, Robert C. Miller and Charles P. Smyth—814
Of Crystals
Electronic and vibrational states of azulene, Jerome W. Sidman and Donald S. McClure—757
Excited states of the naphthalene molecule. II. Further studies on the first singlet-singlet transition, Donald S. McClure—1
Infrared absorption anisotropy of crystalline iodoform, R. M. Hexter and H. Cheung—1186
Infrared absorption spectra of bifluorides in alkali halide disks: the formation of mixed crystals, J. A. A. Ketelaar, C. Haas, and J. van der Elsken—624(L)
Infrared absorption spectra of complex cobalt compounds, Douglas G. Hill and Alexander F. Rosenberg—1219
Infrared spectra of crystalline symtetrabromo and tetrachloroethane, R. E. Kagarise—300
Infrared spectra of gaseous and crystalline cyanogen halides, Walter O. Freitag and Eugene R. Nixon—109
Infrared spectra of gaseous and solid Ge_2H_6, David H. Dows and R. M. Hexter—1029
Intermolecular effects in naphthalene crystal spectra, D. P. Craig and J. R. Walsh—471(L)
Molecular rotation and translation in crystals. Nuclear magnetic resonance absorption, heat capacity, and entropy of crystalline solid solutions of 2,2-dimethylbutane in 2,3-dimethylbutane from 10°K to 273°K, John G. Aston, H. Segall, and N. Fuschillo—1061
Nuclear magnetic resonance studies of bromine nuclei in ammonium bromide, Junkichi Itoh and Yukio Yamagata—621(L)
Paramagnetic resonance absorption of Mn^{++} in single crystals of CaO_3, Harden M. McConnell—904(L)
Paramagnetic resonance spectra from single crystals of hemoglobin derivatives, Philip George, J. E. Bennett, and D. J. E. Ingram—627(L)
Quadrupolar splitting of the Al^{27} and Be^9 magnetic resonance in beryl crystals, L. Carlton Brown and Dudley Williams—751
Spectra and quantum states of the europic ion in crystals. I. Absorption spectrum of anhydrous europic chloride, Edward V. Sayre and Simon Freed—1211
Spectra and quantum states of the europic ion in crystals. II. Fluorescence and absorption spectra of single crystals of europic ethylsulfate nonahydrate, Edward V. Sayre and Simon Freed—1213
Symmetry assignment of the second excited singlet electronic state of anthracene, David Fox and Shaul Yatsiv—1103(L)
V-centers in evaporated alkali halide films, K. J. Teegarden—161(L)
Visible or Ultraviolet of
Adsorbed films by ellipsometry, L. S. Bartell—1108(L)
Azulene, Jerome W. Sidman and Donald S. McClure—757
Benzene and benzene-d_6, P. G. Wilkinson—917(L)
Benzenes, two intramolecular charge transfer absorptions observed with some disubstituted benzenes, Jiro Tanaka and Saburo Nagakura—1274(L)
Europic ion in crystals. I. Absorption spectrum of anhydrous europic chloride, Edward V. Sayre and Simon Freed—1211
Formaldehyde, A. D. Cohen and C. Reid—85
Free radicals, Edward J. Bair, John T. Lund, and Paul C. Cross—961
High polymer donor acceptor complexes, D. F. Evans—1244
I_2—I_2 in carbon tetrachloride and *n*-heptane, P. A. D. de Maine—1091
Multiplicity forbidden transitions in pyridine, Graham J. Brealey—571
Naphthalene and naphthalene *d*-8 singlet-singlet transition, Donald S. McClure—1
cyclo-Octatetraene, tetraphenylene, and *s*-dibenz*cyclo*-octatetraene, K. Lenore McEwen and H. C. Longuet-Higgins—771
Propyne, K. Watanabe and Takeshi Namioka—915(L)
Single crystals of europic ethylsulfate nonahydrate, Edward V. Sayre and Simon Freed—1213
Substituted acetophenones and benzoic acids, Jiro Tanaka, Saburo Nagakura, and Michio Kobayashi—311
1,2,4,5-Tetrachlorobenzene vapor in the near ultraviolet, Ikuo Matubara and Tosinobu Anno—595
Thiophosgene molecule, Louis Burnelle—620(L)
Tropolone vapor, Sunao Imanishi and Mitsuo Ito—1272(L)
Adsorption (see **Surface Phenomena**)
Apparatus and Methods
Analysis of flame-traverse studies with gas-sampling probes, Raymond Friedman—1268(L)
Computation of auxiliary functions for two-center integrals by means of a high-speed computer, F. J. Corbató—452
Criterion for allowable angular deviation in schlieren measurements of the Soret coefficient, James A. Bierlein and Charles R. Finch—486(L)
Detection of free radical absorption spectra by chemical modulation, Edward J. Bair, John T. Lund, and Paul C. Cross—961
Determination of accurate water vapor calibration points for prism spectrometers in the region 1330–2100 cm^{-1}, Llewellyn H. Jones—1250
Determination of calcium in alkali halide crystals, L. Richard Watson and Allen B. Scott—619(L)
Determination of molecular structures from rotational spectra measurements, T. E. Turner and J. A. Howe—924(L)
Diffusion coefficient measurement with glass diaphragm cells, J. R. White—470(L)
Electrodiffusion: a fluctuation method for measuring reaction rates, Karol J. Mysels—371
Evaluation of auxiliary functions in molecular theory, Tien Chi Chen—1268(L)
Evaluation of collision integrals occurring in higher approximations to diffusion coefficients, S. C. Saxena—1209
Exact method for the calculation of coexistent densities from Van der Waals' type equations: a correction, Sidney W. Benson and Charles S. Copeland—905(L)
Franck-Condon factors $q_{v'v''}$ of molecular band systems and their interpolation, R. W. Nicholls—1104(L)
Homogenization of solid solutions. A proposed new technique, Fred M. Acampora, Albert S. Tompa, and Norman O. Smith—1104(L)
Kinetic energy of relative motion, Joseph O. Hirschfelder and John S. Dahler—1258(L)
Measurement of the rate of an electron exchange reaction by nuclear magnetic resonance spectroscopy, C. R. Bruce, R. E. Norberg, and S. I. Weissman—473(L)
Method for the determination of the surface tension of solids, from their melting points in thin wedges, Richard C. Sill and Adam S. Skapski—644
New method for the calculation of molecular magnetic susceptibilities, Jean Guy and Jacques Tillieu—1117(L)
Note on vibrations of linear chains of particles, Bernard C. DeLoach and Wave H. Shaffer—1114(L)
Nuclear magnetic resonance as a method for detecting relaxation phenomena of molecules adsorbed on surfaces, N. Fuschillo and J. G. Aston—1277(L)

Ozone in the Los Angeles atmosphere, N. A. Renzetti—909(L)
Preparation of 99.8% nitrogen-15 by chemical exchange, W. Spindel and T. I. Taylor—626(L)
Pyridine *N*-oxide vapor, Mitsuo Ito and Wataru Mizushima—495
Simultaneous light-absorption and emission measurements behind a shock wave, F. Harshbarger—1261(L)
Study of organic scintillators, Raymond C. Sangster and John W. Irvine, Jr.—670
Study of two-center integrals useful in calculations on molecular structure. IV. The auxiliary functions $C_{\alpha\beta}^{\gamma\delta\epsilon}(\rho_a,\rho_b)$ for $\alpha\geq 0$, C. C. J. Roothaan—947
Use of interpolation theory in the analysis of gas adsorption isotherms. III. Application to low-temperature data, J. M. Honig—510
Use of mass spectrometric appearance potentials in thermochemical calculations. I. Consistency relationships for methane and substituted methanes, and the heat of formation of CH_3F, John L. Margrave—475(L)
Use of mass spectrometric appearance potentials in thermochemical calculations. II. Chlorofluoromethanes and the dissociation energy of fluorine, John L. Margrave—476(L)
Use of punched card machines for computing sums of products. The application to electron diffraction calculations, Judith Bregman—405
Use of vapor pressure measurements for the determination of phase equilibrium diagrams of condensed binary mixtures, R. Heastie—490(L)
Vapor phase crystallization of cadmium sulfide crystals, J. M. Stanley—1279(L)

Catalysis
Elementary steps in catalytic exchange reactions, J. Adam, R. Coekelbergs, A. Frennet, and P. A. Gosselain—1267(L)
Halogen catalyzed decomposition of nitrous oxide, Frederick Kaufman, Norman J. Gerri, and Donald A. Pascale—32

Centrifugation
Effects of a concentration dependence of the sedimentation coefficient in velocity ultracentrifugation, Hiroshi Fujita—1084

Chemical Reactions (see **Kinetics of Reactions**)

Conductance
Ac conductivity study of oxygen chemisorption on PbS, M. Silver and V. R. Honnold—1280(L)
Effect of bromine on the dark conductivity of silver bromide, George W. Luckey and William West—879
High-resistivity nickel ferrites—the effect of minor additions of manganese or cobalt, L. G. Van Uitert—306
Proton conductance and the existence of the H_3O^+ ion, B. E. Conway, J. O'M. Bockris, and Hedda Linton—834

Crystal Growth
Evaporation of perfect crystals, Gerald W. Sears—868
Growth and some properties of a large single crystal of cadmium selenide, D. M. Heinz and E. Banks—391
"Pseudo-monocrystals" of *alpha*-titanium, Henry Leidheiser, Jr., and Francis J. Denise—625(L)
Theory of crystal growth in undercooled pure liquids, W. B. Hillig and D. Turnbull—914(L)
Vapor phase crystallization of cadmium sulfide crystals, J. M. Stanley—1279(L)

Crystalline State
Chemical reactions with white and gray tin, Theodore Gela—1009
Correlation of infrared stretching frequencies and hydrogen bond distances in crystals, George C. Pimentel and Charles H. Sederholm—639
Determination of calcium in alkali halide crystals, L. Richard Watson and Allen B. Scott—619(L)
Dielectric losses in additively colored NaCl and KBr, G. Jacobs—629(L)
Dielectric properties of ammonium iodide, Kan-Ichi Kamiyoshi—1265(L)
Effect of bromine on the dark conductivity of silver bromide, George W. Luckey and William West—879
Equation of state and elasticity of solid argon, E. R. Dobbs—477(L)
Fluorescence of *p*-chlorotoluene in the solid state at low temperatures, S. C. Sirkar and D. C. Biswas—470(L)
Fluorescence spectrum of Am^{+3} in $LaCl_3$, D. M. Gruen, John G. Conway, R. D. McLaughlin, and B. B. Cunningham—1115(L)
Fluorescence spectrum of Pu^{+3} in $LaCl_3$, B. B. Cunningham, D. M. Gruen, John G. Conway, and Ralph D. McLaughlin—1275(L)
Germanium-oxygen system, F. A. Trumbore, C. D. Thurmond, and M. Kowalchik—1112(L)
Growth and some properties of a large single crystal of cadmium selenide, D. M. Heinz and E. Banks—391
High-resistivity nickel ferrites—the effect of minor additions of manganese or cobalt, L. G. Van Uitert—306
Homogenization of solid solutions. A proposed new technique, Fred M. Acampora, Albert S. Tompa, and Norman O. Smith—1104(L)
Infrared absorption anisotropy of crystalline iodoform, R. M. Hexter and H. Cheung—1186
Infrared absorption spectra of bifluorides in alkali halide disks: the formation of mixed crystals, J. A. A. Ketelaar, C. Haas, and J. van der Elsken—624(L)
Intermolecular effects in naphthalene crystal spectra, D. P. Craig and J. R. Walsh—471(L)
Luminescence of ice subjected to ionizing radiation, J. A. Ghormley—1111(L)
Luminescence spectra of samarium in barium titanate at its transition, Keichi Oshima, Sohachiro Hayakawa, Hiroshi Nagano, and Mahoko Nagusa—903(L)
Magnetic effects in phosphors under illumination, W. D. Hershberger—168(L)
Magnetic properties of a gadolinium orthoferrite, $GdFeO_3$, crystal, M. A. Gilleo—1239
Method for the determination of the surface tension of solids, from their melting points in thin wedges, Richard C. Sill and Adam S. Skapski—644
Molecular rotation and translation in crystals. Nuclear magnetic resonance absorption, heat capacity, and entropy of crystalline solid solutions of 2,2-dimethylbutane in 2,3-dimethylbutane from 10°K to 273°K, John G. Aston, H. Segall, and N. Fuschillo—1061
Nuclear magnetic resonance studies of bromine nuclei in ammonium bromide, Junkichi Itoh and Yukio Yamagata—621(L)
Nuclear quadrupole levels in single crystals, Paul M. Parker—1096
Observations of ion separation in dilute solutions by freezing, James P. Lodge, Miriam L. Baker, and John M. Pierrard—716
Paramagnetic resonance absorption of Mn^{++} in single crystals of CaO_3, Harden M. McConnell—904(L)
Paramagnetic resonance in $Cu(NH_3)_4SO_4\cdot H_2O$, E. H. Carlson and R. D. Spence—471(L)
"Pseudo-monocrystals" of *alpha*-titanium, Henry Leidheiser, Jr., and Francis J. Denise—625(L)
Question of specific heat and nature of transformation of $MgCd_3$, K. G. Homiakov, V. A. Holler, and V. A. Troshkina—486(L)
Radiation-induced coloring of sodium azide, Hyman Rosenwasser, Russell W. Dreyfus, and Paul W. Levy—184

Crystalline State (continued)
Russell effect in silicon and germanium, A. J. Ahearn and J. T. Law—633(L)
Shape distribution of two-dimensional soap froths, Ryoichi Kikuchi—861
Solid solutions of ice and NH_4F and their dielectric properties, Sol Zaromb and Rudolf Brill—895
Specific heat and heat of transformation of $MgCd_3$, B. M. Rosenbaum and B. Welber—485(L)
Spectra and quantum states of the europic ion in crystals. I. Absorption spectrum of anhydrous europic chloride, Edward V. Sayre and Simon Freed—1211
Structures and phase relationships in the tantalum-hydrogen system between −145 and 70°C, T. R. Waite, W. E. Wallace, and R. S. Craig—634(L)
Study of organic scintillators, Raymond C. Sangster and John W. Irvine, Jr.—670
Surface area and particle size of evaporated lead sulfide films, Roy H. Harada—447
Thermal diffusion in single crystals of zinc, F. R. Winter and H. G. Drickamer—492(L)
Thermal expansion and stability of layer structures in ionic *AB* compounds, M. A. Bredig—1037
Thermoluminescence of some aromatic hydrocarbons, J. Sharma—39
Vacancies in metallic sodium, S. Machlup—169(L)
Vapor phase crystallization of cadmium sulfide crystals, J. M. Stanley—1279(L)
V-centers in evaporated alkali halide films, K. J. Teegarden—161(L)
Vibration spectrum of graphite and boron nitride. I. The two-dimensional spectrum, Gordon F. Newell—1049

Crystal Structure
Crystal structure of gadolinium orthoferrite, $GdFeO_3$, S. Geller—1236
Icosahedral coordination number 12, D. S. Martin, Jr., R. E. Rundle, and S. A. Golden—1114(L)
Spectra and quantum states of the europic ion in crystals. I. Absorption spectrum of anhydrous europic chloride, Edward V. Sayre and Simon Freed—1211

Detonation (see also **Shock Waves**)
Calculation of the detonation properties of solid explosives with the Kistiakowsky-Wilson equation of state, R. D. Cowan and W. Fickett—932
Detonation of nitromethane, G. Nahmani and Y. Manheimer—1074
Equation of state from the theory of detonation, M. P. Murgai—635(L)
Rate of reaction of TNT in detonation by direct pressure measurements, Melvin A. Cook and Robert T. Keyes—191
Velocity-diameter and wave shape measurements and the determination of reaction rates of TNT, Melvin A. Cook, G. Smoot Horsley, W. S. Partridge, and W. O. Ursenbach—60

Deuterium (see **Isotopes**)

Dielectrics
Average dielectric relaxation time obtained by means of Cole plots, Sol Zaromb—1110(L)
Dielectric dispersion of polyvinyl acetate in toluene, William G. Hammerle and John G. Kirkwood—1277(L)
Dielectric losses in additively colored NaCl and KBr, G. Jacobs—629(L)
Dielectric properties of ammonium iodide, Kan-Ichi Kamiyoshi—1265(L)
Dielectric saturation, John A. Schellman—912(L)
Microwave absorption and molecular structure in liquids. XII. Critical wavelengths and intermolecular forces in the tetrahalogenated methanes, Robert C. Miller and Charles P. Smyth—814
Microwave absorption in compressed gases; saturated hydrocarbons, A. A. Maryott and G. Birnbaum—1022
Microwave dielectric constant measurements, D. W. Magnuson—344
Pressure coefficient of the dielectric constant of water, John G. Mavroides—398
Solid solutions of ice and NH_4F and their dielectric properties, Sol Zaromb and Rudolf Brill—895

Diffusion
Diffusion coefficient measurement with glass diaphragm cells, J. R. White—470(L)
Effects of a concentration dependence of the sedimentation coefficient in velocity ultracentrifugation, Hiroshi Fujita—1084
Electrodiffusion: a fluctuation method for measuring reaction rates, Karol J. Mysels—371
Model for ion exchange resins, Frank E. Harris and Stuart A. Rice—1258(L)
Note on the theory of diffusion controlled reactions: application to photodissociation in solution, Louis Monchick—381
Self-diffusion in liquid gallium, Jean Petit and Norman H. Nachtrieb—1027
Self-diffusion in liquid mercury, Norman H. Nachtrieb and Jean Petit—746
Test of the applicability of the Nernst-Einstein equation to self-diffusion and conduction of ions in molten sodium chloride, A. Z. Borucka, J. O'M. Bockris, and J. A. Kitchener—1282(L)
Thermal diffusion in single crystals of zinc, F. R. Winter and H. G. Drickamer—492(L)
Werner's equation for low-frequency silent electric discharge in hydrogen, D. P. Jatar—1273(L)

Dipole Moment
Dipole moment of NF_3, M. Mashima—489(L)
Erratum: Calculation of the dipole moment of the carbon-hydrogen bond in methane by the Thomas-Fermi method, Herbert Glazer and Howard Reiss—174(L)
Infrared absorption intensities and bond moments in BF_3 and related molecules, D. C. McKean—1002
Microwave spectrum and dipole moment of cyclopentadiene, Victor W. Laurie—635(L)

Elasticity
Debye characteristic temperature at 0°K of certain cubic crystals, Jules de Launay—1071
Equation of state and elasticity of solid argon, E. R. Dobbs—477(L)
Non-Newtonian viscoelastic properties of rod-like macromolecules in solution, John G. Kirkwood and Richard J. Plock—665

Electrochemistry
Electrostatic free energy and other properties of states having nonequilibrium polarization. I., R. A. Marcus—979
Kinetics of activation controlled consecutive electrochemical reactions: anodic evolution of oxygen, J. O'M. Bockris—817
Overvoltages and passivity in melted electrolytes, R. Piontelli, G. Sternheim, and M. Francini—1113(L)
Theory of oxidation-reduction reactions involving electron transfer. I, R. A. Marcus—966
Werner's equation for low-frequency silent electric discharge in hydrogen, D. P. Jatar—1273(L)

Electron Affinity
Electron affinities, methyl affinities, and ionization energies of condensed ring aromatic hydrocarbons, F. A. Matsen—602

Electron Diffraction
Bond length and the mean square amplitude of C—O bond in methyl alcohol, Masao Kimura, Katsumi Kimura, and Shuzo Shibata—622(L)
Electron diffraction investigation of the molecular structure of dichlorodifluoromethane, R. L. Livingston and D. H. Lyon—1283(L)
Use of punched card machines for computing sums of products. The application to electron diffraction calculations, Judith Bregman—405
Emission Spectra
Blue emission from the vapor of burning boron, Richard F. Porter and David A. Dows—1270(L)
Electronic and vibrational states of azulene, Jerome W. Sidman and Donald S. McClure—757
Emission spectra of nitrogen in the vacuum ultraviolet, P. G. Wilkinson and N. B. Houk—528
Hopfield's emission bands of O_2 in the region 1900–2350 A, Y. Tanaka, A. S. Jursa, and F. J. LeBlanc—915(L)
Simultaneous light-absorption and emission measurements behind a shock wave, F. Harshbarger—1261(L)
Energy Transfer
Average dielectric relaxation time obtained by means of Cole plots, Sol Zaromb—1110(L)
Excitation and dissociation of molecules due to β decay of a constituent atom, Max Wolfsberg—24
Isotopic effects and collisional deactivation in the mercury photosensitized decomposition of ethylene, A. B. Callear and R. J. Cvetanović—873
Microwave absorption in compressed gases; saturated hydrocarbons, A. A. Maryott and G. Birnbaum—1022
Molecular absorption of sound in gases at high temperatures, James E. Young and Osman K. Mawardi—1109(L)
Nuclear magnetic relaxation of nonuniform systems, S. Broersma—153
Nuclear magnetic relaxation of nonuniform systems, S. Broersma—659
Nuclear magnetic resonance as a method for detecting relaxation phenomena of molecules adsorbed on surfaces, N. Fuschillo and J. G. Aston—1277(L)
Nuclear relaxation and molecular association in liquids, L. Giulotto, G. Lanzi, and L. Tosca—632(L)
Nuclear spin-lattice relaxation times of aromatic and aliphatic protons, G. W. Nederbragt and C. A. Reilly—1110(L)
Proton spin relaxation in water-glycerin solutions of chromium (III) ions, L. O. Morgan, J. Murphy, and A. W. Nolle—906(L)
Shock front thickness and bulk viscosity in polyatomic gases, W. H. Andersen and D. F. Hornig—767
Equation of State
Calculation of the detonation properties of solid explosives with the Kistiakowsky-Wilson equation of state, R. D. Cowan and W. Fickett—932
Equation of state and elasticity of solid argon, E. R. Dobbs—477(L)
Equation of state from the theory of detonation, M. P. Murgai—635(L)
Equation of state of solids, B. Dayal and C. Purushothaman—1257(L)
Exact method for the calculation of coexistent densities from Van der Waals' type equations: a correction, Sidney W. Benson and Charles S. Copeland—905(L)
Intermolecular forces in ethane, Vernon Myers—924(L)
Isotherms in the critical regions of carbon dioxide and sulfur hexafluoride, R. H. Wentorf, Jr.—607
Second virial coefficients for assemblies of nonspherical molecules, Barbara J. Castle, Laurens Jansen, and John M. Dawson—1078
Virial coefficients of "parallel square" and "parallel cube" gases, Robert W. Zwanzig—855
Errata
Errata: Infrared absorption spectrum of deuterated polyvinyl alcohol film, Hiroyuki Tadokoro, Syûzô Seki, and Isamu Nitta—1118(L)
Erratum: Calculation of the dipole moment of the carbon-hydrogen bond in methane by the Thomas-Fermi method, Herbert Glazer and Howard Reiss—174(L)
Erratum: Excluded volume in polymer chains, Marshall Fixman—174(L)
Erratum: Isotopic reaction rates between methyl and hydrogen, J. C. Polanyi—493(L)
Erratum: Report on the notation for the spectra of polyatomic molecules, Robert S. Mulliken—1118(L)
Erratum: Thermal diffusion in polymer solutions, A. H. Emery, Jr., and H. G. Drickamer—620(L)
Erratum: X-ray diffraction study of four reinforcing carbon blacks, Leroy Alexander and Stephen R. Darin—1118(L)

Films (see **Surface Phenomena**)
Flames
Analysis of flame-traverse studies with gas-sampling probes, Raymond Friedman—1268(L)
Blue emission from the vapor of burning boron, Richard F. Porter and David A. Dows—1270(L)
Flame propagation: the random walk of chemical energy, Henry Eyring, J. Calvin Giddings, and Lowell G. Tensmeyer—857
Flame zone studies. II. Applicability of one-dimensional models to three-dimensional laminar bunsen flame fronts, Robert M. Fristrom—888
Rate of the reaction: $H+O_3 \rightarrow OH+O_2$. An analysis of a product emitter flame, David Garvin and John L. McKinley, Jr.—1256(L)
Fluorescence
Am^{+3} in $LaCl_3$, D. M. Gruen, John G. Conway, R. D. McLaughlin, and B. B. Cunningham—1115(L)
Anthracene, lowest triplet state, Madhu R. Padhye, Sean P. McGlynn, and Michael Kasha—588
Azulene, confirmation of the anomalous fluorescence, Gorthi Viswanath and Michael Kasha—574
p-Chlorotoluene in the solid state at low temperatures, S. C. Sirkar and D. C. Biswas—470(L)
Luminescence of ice subjected to ionizing radiation, J. A. Ghormley—1111(L)
Luminescence spectra of samarium in barium titanate at its transition, Keichi Oshima, Sohachiro Hayakawa, Hiroshi Nagano, and Mahoko Nagusa—903(L)
Naphthalene and naphthalene *d*-8. II. Further studies on the first singlet-singlet transition, Donald S. McClure—1
Ovalbumin and constituents, L. I. Grossweiner—1255(L)
Pu^{+3} in $LaCl_3$, B. B. Cunningham, D. M. Gruen, John G. Conway, and Ralph D. McLaughlin—1275(L)
Single crystals of europic ethylsulfate nonahydrate, Edward V. Sayre and Simon Freed—1213
Study of organic scintillators, Raymond C. Sangster and John W. Irvine, Jr.—670
Thermoluminescence of some aromatic hydrocarbons, J. Sharma—39
Free Rotation (see **Rotational Isomerism**)

Gases
Abundance of free atoms in solid nitrogen condensed at 4.2°K from a gas discharge, H. P. Broida and O. S. Lutes—484(L)

Heat Capacity (see **Thermodynamic Properties**)
High Pressures
Pressure coefficient of the dielectric constant of water, John G. Mavroides—398
Hindered Rotation (see **Rotation**)

Infrared Spectra (see **Absorption Spectra**)
Intensities of Spectra
Absolute infrared intensities of vibration bands in ammonia and phosphine, D. C. McKean and P. N. Schatz—316
Franck-Condon factors $q_{v'v''}$ of molecular band systems and their interpolation, R. W. Nicholls—1104(L)
Infrared absorption intensities and bond moments in BF_3 and related molecules, D. C. McKean—1002
Nature of the hydrogen-bond. III. The measurement of the infrared absorption intensities of free and hydrogen-bonded OH bands. Theory of the increase of the intensity due to the hydrogen bond, Hiroshi Tsubomura—927
Selection rules for a freely rotating ethane-type molecule, Robert P. Bauman—13
Isotopes
Preparation of 99.8% nitrogen-15 by chemical exchange, W. Spindel and T. I. Taylor—626(L)
Isotope Effects
Correlation of symmetrical vibration frequencies, Harold T. Hahn—921(L)
Erratum: Isotopic reaction rates between methyl and hydrogen, J. C. Polanyi—493(L)
Homogeneous exchange reaction between hydrogen and deuterium, G. Boato, G. Careri, A. Cimino, E. Molinari, and G. G. Volpi—783
Isotopic effects and collisional deactivation in the mercury photosensitized decomposition of ethylene, A. B. Callear and R. J. Cvetanović—873

Kinetics of Reaction
Blue emission from the vapor of burning boron, Richard F. Porter and David A. Dows—1270(L)
Chemical reactions with white and gray tin, Theodore Gela—1009
Colors on Jupiter, Francis Owen Rice—1259(L)
Detection of free radical absorption spectra by chemical modulation, Edward J. Bair, John T. Lund, and Paul C. Cross—961
Electrodiffusion: a fluctuation method for measuring reaction rates, Karol J. Mysels—371
Electrostatic free energy and other properties of states having nonequilibrium polarization. I, R. A. Marcus—979
Elementary steps in catalytic exchange reactions, J. Adam, R. Coekelbergs, A. Frennet, and P. A. Gosselain—1267(L)
Enhanced oxidation of platinum in activated oxygen, George C. Fryburg—175
Erratum: Isotopic reaction rates between methyl and hydrogen, J. C. Polanyi—493(L)
First-order deactivation of excited β-naphthylamine molecules with low vibrational energy reserve, B. Stevens—488(L)
First-order decomposition of excited aniline molecules in the vapor phase, B. Stevens—1272(L)
Fixation of nitrogen by ionizing radiation as nitrogen dioxide and nitrous oxide, P. Harteck and S. Dondes—619(L)
Halogen catalyzed decomposition of nitrous oxide, Frederick Kaufman, Norman J. Gerri, and Donald A. Pascale—32
Homogeneous exchange reaction between hydrogen and deuterium, G. Boato, G. Careri, A. Cimino, E. Molinari, and G. G. Volpi—783
Infrared spectra of trimethylhydrazine and its oxidation products, Allen L. Olsen and Howard W. Kruse—1106(L)
Infrared study of the B_2D_6–B_5H_9 exchange reaction, Joyce J. Kaufman and W. S. Koski—403
Irradiation of chloral hydrate solutions, Arthur Hilsenrod—917(L)
Isotopic effects and collisional deactivation in the mercury photosensitized decomposition of ethylene, A. B. Callear and R. J. Cvetanović—873
Kinetics of activation controlled consecutive electrochemical reactions: anodic evolution of oxygen, J. O'M. Bockris—817
Kinetic study of the reaction of diborane with phosphine, H. Brumberger and R. A. Marcus—741
Mass spectrometric investigation of the hydrogen-oxygen and methyl-oxygen reactions, K. U. Ingold and W. A. Bryce—360
Mass spectrometric study of the B_2D_6–B_5H_9 exchange reaction, W. S. Koski, Joyce J. Kaufman, Lewis Friedman, and A. P. Irsa—221
Measurement of the rate of an electron exchange reaction by nuclear magnetic resonance spectroscopy, C. R. Bruce, R. E. Norberg, and S. I. Weissman—473(L)
Mechanism in the radiolysis of aqueous formic acid solutions, Warren M. Garrison, Winifred Bennett, and Michael Jayko—631(L)
Mechanism of the decomposition of primary and secondary *n*-butyl free radicals, James R. McNesby, Charles M. Drew, and Alvin S. Gordon—1260(L)
Mercury photosensitized reaction of cyclooctatetraene, Hideo Yamazaki and Shoji Shida—1278(L)
Molar refraction of carbon dioxide and its dependence on density when stored in steel containers, Victor H. Coffin and Clarence E. Bennett—98
Molecular complex NO_4, I. C. Hisatsune and Bryce Crawford, Jr.—1257(L)
New formulation of gaseous unimolecular dissociation rates, N. B. Slater—1256(L)
Note on the theory of diffusion controlled reactions: application to photodissociation in solution, Louis Monchick—381
Photodecomposition of formaldehyde; the stability of the HCO radical, Ralph Klein and Louis J. Schoen—1094
Photolysis of ethane at 1470 A, M. H. J. Wijnen—851
Preparation of 99.8% nitrogen-15 by chemical exchange, W. Spindel and T. I. Taylor—626(L)
Radiation chemistry of *n*-hexane and cyclohexane liquids, H. A. Dewhurst—1254(L)
Rate of reaction of TNT in detonation by direct pressure measurements, Melvin A. Cook and Robert T. Keyes—191
Rate of recombination of radicals. I. A general sector theory; a correction to the methyl radical recombination rate, Allan Shepp—939
Rate of recombination of radicals. II. The rate of recombination of trifluoromethyl radicals, P. B. Ayscough—944
Rate of the reaction: $H+O_3 \rightarrow OH+O_2$. An analysis of a product emitter flame, David Garvin and John L. McKinley, Jr.—1256(L)
Reaction of paraffin hydrocarbons with ozonized oxygen: possible role of ozone in normal combustion, C. C. Schubert and R. N. Pease—919(L)
Reactions of gaseous molecule ions with gaseous molecules. II, D. O. Schissler and D. P. Stevenson—926(L)

Relative rates of isomerization of cyclopropane and cyclopropane-t_1, R. H. Lindquist and G. K. Rollefson—725
Stability of ethlidene radicals, G. B. Kistiakowsky and Bruce H. Mahan—922(L)
Theory of oxidation-reduction reactions involving electron transfer. I, R. A. Marcus—966
Thermal decomposition of nitrogen dioxide, Willis A. Rosser, Jr., and Henry Wise—493(L)
Vacuum ultraviolet photochemistry. Part III. Acetylene at 1849 A, Murray Zelikoff and Leonard M. Aschenbrand —1034
Velocity-diameter and wave shape measurements and the determination of reaction rates of TNT, Melvin A. Cook, G. Smoot Horsley, W. S. Partridge, and W. O. Ursenbach—60
Yield of the ferrous sulfate radiation dosimeter: an improved cathode-ray determination, Robert H. Schuler and Augustine O. Allen—56

Large Molecules (see **Polymers**)

Light Scattering
Question of the correct values for Rayleigh's ratio, D. K. Carpenter and W. R. Krigbaum—1041
Selective scattering of light by pigment-containing plant cells, Paul Latimer and Eugene Rabinowitch—480(L)

Liquids
Behavior of liquid-crystal compounds near the isotropic-anisotropic transition, W. A. Hoyer and A. W. Nolle —803
Cell and cell-cluster models for liquids, H. S. Green—732
Hole theory of liquids and the lattice approximation, Frank C. Goodrich—172(L)
Infrared studies on the solvent-solute interactions, Tsuneo Yoshino—76
Kinetic interpretation of the temperature dependence of infrared absorption, Theodore L. Brown—1281(L)
Microwave absorption and molecular structure in liquids. XII. Critical wavelengths and intermolecular forces in the terahalogenated methanes, Robert C. Miller and Charles P. Smyth—814
Nature of the hydrogen bond. III. The measurement of the infrared absorption intensities of free and hydrogen-bonded OH bands. Theory of the increase of the intensity due to the hydrogen-bond, Hiroshi Tsubomura —927
Nuclear relaxation and molecular association in liquids, L. Giulotto, G. Lanzi, and L. Tosca—632(L)
Potential energy of a molecule in a liquid, George H. Vineyard—617(L)
Potential energy of a molecule in a liquid: calculations for argon, L. A. Girifalco—617(L)
Pressure coefficient of the dielectric constant of water, John G. Mavroides—398
Proton conductance and the existence of the H_3O^+ ion, B. E. Conway, J. O'M. Bockris, and Hedda Linton—834
Proton spin relaxation in water-glycerin solutions of chromium (III) ions, L. O. Morgan, J. Murphy, and A. W. Nolle—906(L)
Raman spectra of hydrogen peroxide in condensed phases. I. The spectra of the pure liquid and its aqueous solutions, Robert C. Taylor and Paul C. Cross—41
Raman spectra of liquid and solid hydrogen, Elizabeth J. Allen, T. Feldman, and H. L. Welsh—1116(L)
Refinement of the Lennard-Jones and Devonshire theory of liquids and dense gases, William J. Taylor—454
Relation between viscosity and surface tension of liquids, Nitish Kumar Sanyal and Shashanka Shekhar Mitra—473(L)
Self-diffusion in liquid gallium, Jean Petit and Norman H. Nachtrieb—1027
Self-diffusion in liquid mercury, Norman H. Nachtrieb and Jean Petit—746
Spectrophotometric study of the liquid-phase equilibrium $N_2O_4 \rightleftharpoons 2NO_2$ in pure nitrogen tetroxide, C. M. Steese and A. Greenville Whittaker—776
Statistical thermodynamics of solutions, I. Prigogine, A. Bellemans, and A. Englert-Chowles—518
Temperature dependence of ultrasonic velocity in amyl acetate-toluene mixtures, G. S. Verma and S. K. Kor —163(L)
Viscous flow and the constitution of liquid boron trioxide, J. D. Mackenzie—925(L)
X-ray study of tellurium oxide glass, G. W. Brady—477(L)

Magnetic Resonance
Bond length and the mean square amplitude of C—O bond in methyl alcohol, Masao Kimura, Katsumi Kimura, and Shuzo Shibata—622(L)
Effect of elongation on the proton magnetic resonance of natural rubber, Keichi Oshima and Hazime Kusumoto —913(L)
Electron densities in semiquinones by paramagnetic resonance, Harden M. McConnell—632(L)
Electron spin resonance of 1,4-naphthosemiquinone ion, John E. Wertz and Juana L. Vivo—479(L)
Hydration effects in chlorine-35 nuclear spin resonance, John E. Wertz—484(L)
Indirect hyperfine interactions in the paramagnetic resonance spectra of aromatic free radicals, Harden M. McConnell—764
Magnetic susceptibility study of the liquid phase equilibrium $N_2O_4 \rightleftharpoons 2NO_2$ in pure nitrogen tetroxide, A. Greenville Whittaker—780
Measurement of the rate of an electron exchange reaction by nuclear magnetic resonance spectroscopy, C. R. Bruce, R. E. Norberg, and S. I. Weissman—473(L)
Microwave absorption in compressed gases; saturated hydrocarbons, A. A. Maryott and G. Birnbaum—1022
Microwave dielectric constant measurements, D. W. Magnuson—344
Molecular rotation and translation in crystals. Nuclear magnetic resonance absorption, heat capacity, and entropy of crystalline solid solutions of 2,2-dimethylbutane in 2,3-dimethylbutane from 10°K to 273°K, John G. Aston, H. Segall, and N. Fuschillo—1061
Nuclear magnetic relaxation of nonuniform systems, S. Broersma—153
Nuclear magnetic relaxation of nonuniform systems, S. Broersma—659
Nuclear magnetic resonance as a method for detecting relaxation phenomena of molecules adsorbed on surfaces, N. Fuschillo and J. G. Aston—1277(L)
Nuclear magnetic resonance spectra of conjugated aromatic hydrocarbons, H. J. Bernstein and W. G. Schneider—468(L)
Nuclear magnetic resonance spectra of pyridine and some deuterated and methylated pyridines, H. J. Bernstein and W. G. Schneider—469(L)
Nuclear magnetic resonance studies of bromine nuclei in ammonium bromide, Junkichi Itoh and Yukio Yamagata—621(L)
Nuclear quadrupole levels in single crystals, Paul M. Parker—1096
Nuclear relaxation and molecular association in liquids, L. Giulotto, G. Lanzi, and L. Tosca—632(L)
Nuclear spin coupling constants in halogenated olefins, H. M. McConnell, C. A. Reilly, and A. D. McLean—479(L)

Magnetic Resonance (continued)
Nuclear spin-lattice relaxation times of aromatic and aliphatic protons, G. W. Nederbragt and C. A. Reilly —1110(L)
Paramagnetic resonance absorption in diphenylpicrylhydrzyl, Ralph Livingston and Henry Zeldes—170(L)
Paramagnetic resonance absorption of Mn^{++} in single crystals of CaO_3, Harden M. McConnell—904(L)
Paramagnetic resonance in $Cu(NH_3)_4SO_4 \cdot H_2O$, E. H. Carlson and R. D. Spence—471(L)
Paramagnetic resonance observations on the condensed products of electric discharges through water vapor and related substances, Ralph Livingston, John Ghormley, and Henry Zeldes—483(L)
Proton-deuteron hyperfine structure in paramagnetic resonance: A π-σ interaction, Balu Venkataraman and George K. Fraenkel—737
Proton hyperfine interactions in semiquinone ions, R. Bersohn—1066
Proton magnetic resonance of hydrocarbons, J. A. Pople —1111(L)
Proton spin relaxation in water-glycerin solutions of chromium (III) ions, L. O. Morgan, J. Murphy, and A. W. Nolle—906(L)
Quadrupole coupling and bond character in the vinyl halides, J. H. Goldstein—106

Magnetic Susceptibilities
Dependence on atomic number of the diamagnetic susceptibility calculated from the Thomas-Fermi-Dirac model, L. H. Thomas and K. Umeda—1113(L)
Magnetic properties of a gadolinium orthoferrite, $GdFeO_3$, crystal, M. A. Gilleo—1239
Magnetic susceptibility of plutonium hexafluoride, D. M. Gruen, J. G. Malm, and B. Weinstock—905(L)
Magnetic susceptibility study of the liquid phase equilibrium $N_2O_4 \rightleftharpoons 2NO_2$ in pure nitrogen tetroxide, A. Greenville Whittaker—780
New method for the calculation of molecular magnetic susceptibilities, Jean Guy and Jacques Tillieu—1117(L)

Mass Spectra
Appearance potential study of $CBrF_3$, A. Jacobson, J. Steigman, R. A. Strakna, and S. S. Friedland—637(L)
Critical ionization potentials using a parallel-plate energy selector, Dwight A. Hutchison—628(L)
Dissociation energy of carbon monoxide, Thomas E. Brackett—1103(L)
Dissociation energy of gaseous LaO, William A. Chupka, Mark G. Inghram, and Richard F. Porter—792
Free radicals by mass spectrometry. VIII. The ionization potentials of *para-*, *ortho-*, and *meta*-xylyl radicals, J. B. Farmer, F. P. Lossing, D. G. H. Marsden, and C. A. McDowell—52
Free radicals by mass spectrometry. IX. Ionization potentials of CF_3 and CCl_3 radicals and bond dissociation energies in some derivatives, J. B. Farmer, I. H. S. Henderson, F. P. Lossing, and D. G. H. Marsden—348
Ionization and dissociation of nitrogen trifluoride by electron impact, Robert M. Reese and Vernon H. Dibeler —1175
Ionization potentials of ammonia and the excited states of the NH_3^+ ion, C. A. McDowell—618(L)
Ionization potentials of xylenes and picolines, K. Higasi, I. Omura, and H. Baba—623(L)
Mass spectrometric investigation of the hydrogen-oxygen and methyl-oxygen reactions, K. U. Ingold and W. A. Bryce—360
Mass spectrometric study of the B_2D_6—B_5H_9 exchange reaction, W. S. Koski, Joyce J. Kaufman, Lewis Friedman, and A. P. Irsa—221
Mass spectrometry of ozone, J. T. Herron and H. I. Schiff —1266(L)
Spin-orbital interactions in molecular ions, C. A. McDowell and D. C. Frost—173(L)
Use of mass spectrometric appearance potentials in thermochemical calculations. I. Consistency relationships for methane and substituted methanes, and the heat of formation of CH_3F, John L. Margrave—475(L)
Use of mass spectrometric appearance potentials in thermochemical calculations. II. Chlorofluoromethanes and the dissociation energy of fluorine, John L. Margrave—476(L)

Mechanics, Classical
Application of the vibrational sum rule to halogenated ethylenes, H. J. Bernstein—910(L)
Matrices D^{-1} and G^{-1} in the theory of molecular vibrations, S. R. Polo—1133
Note on vibrations of linear chains of particles, Bernard C. DeLoach and Wave H. Shaffer—1114(L)
Out of the plane bending vibrations of planar molecules, C. J. S. M. Simpson—1108(L)
Stretching force constant of the carbonyl bond in unconjugated ketones, J. O. Halford—830

Mechanics, Quantum
Asymmetric rotor. Convergence in the continued-fraction expansion of the reduced energies, D. W. Posener—546
Calculation of depolarization factors of the Raman lines of CBr_3X molecules, Robert H. Krupp, Salvador M. Ferigle, and Alfons Weber—355
Calculation of intermolecular force constants from polarizabilities, Werner Brandt—501
Comparison of SCEMO and ASMOCI calculation of electron densities, R. D. Brown and Anne Penfold—1259(L)
Computation of auxiliary functions for two-center integrals by means of a high-speed computer, F. J. Corbató—452
Coupling between electronic and nuclear motions in molecules, Ta-You Wu and A. B. Bhatia—48
Coupling between electronic and nuclear motion and Van der Waals' interaction between helium atoms, Ta-You Wu—444
Dependence on atomic number of the diamagnetic susceptibility calculated from the Thomas-Fermi-Dirac model, L. H. Thomas and K. Umeda—1113(L)
Dipole moment of NF_3, M. Mashima—489(L)
Doublet states of benzyl radical, Yuji Mori—1253(L)
Effect of sp^2 hybridization of lone pair electrons on the bond angle of nitrogen, H. F. Hameka and A. M. Liquori—1262(L)
Electron affinities, methyl affinities, and ionization energies of condensed ring aromatic hydrocarbons, F. A. Matsen —602
Electronic spectra of *cyclo*-octatetraene, tetraphenylene, and *s*-dibenz*cyclo*-octatetraene, K. Lenore McEwen and H. C. Loguet-Higgins—771
Electronic structure of ferrocene, Masatoshi Yamazaki— 1260(L)
Electronic structure of NH, NH_2, and NH_3, Jiro Higuchi —535
Erratum: Calculation of the dipole moment of the carbon-hydrogen bond in methane by the Thomas-Fermi method, Herbert Glazer and Howard Reiss—174(L)
Evaluation of auxiliary functions in molecular theory, Tien Chi Chen—1268(L)
Excitation and dissociation of molecules due to β decay of a constituent atom, Max Wolfsberg—24
Franck-Condon factors $q_{v'v''}$ of molecular band systems and their interpolation, R. W. Nicholls—1104(L)
Free electron treatment of electrophilic substitution in aniline, L. S. Bartell and R. A. Bonham—909(L)

Generalized antisymmetrized product wave functions for atoms and molecules, Robert G. Parr, Frank O. Ellison, and Peter G. Lykos—1106(L)
Ground state of the helium-hydride ion, Arthur A. Evett —150
Higher order rotation-vibration energies of polyatomic molecules. I., Mark Goldsmith, Gilbert Amat, and Harald H. Nielsen—1178
Improved vibrational potential for diatomic molecules, Charles LeRoy Beckel—553
Indirect hyperfine interactions in the paramagnetic resonance spectra of aromatic free radicals, Harden M. McConnell—764
Influence of Fermi resonance on the centrifugal stretching constant of a linear molecule, Gilbert Amat, Mark Goldsmith, and Harald H. Nielsen—44
Intermolecular forces in ethane, Vernon Myers—924(L)
Interpretation of the lowest frequency electronic absorption bands of inorganic molecules of type $XO_y^{z(-)}$ as $n\rightarrow\pi$ transitions, Sean P. McGlynn and Michael Kasha —481(L)
Kinetic energy of relative motion, Joseph O. Hirschfelder and John S. Dahler—1258(L)
Ligand field theory and the stability of transition metal compounds, Philip George, D. S. McClure, J. S. Griffith, and L. E. Orgel—1269(L)
Molecular orbital approximation to electron coupled interaction between nuclear spins, H. M. McConnell—460
Molecular orbital treatment of conjugation of vinyl chloride, with inclusion of overlap, J. H. Goldstein—507
Nature of the hydrogen bond. III. The measurement of the infrared absorption intensities of free and hydrogen-bonded OH bands. Theory of the increase of the intensity due to the hydrogen bond, Hiroshi Tsubomura —927
New method for the calculation of molecular magnetic susceptibilities, Jean Guy and Jacques Tillieu—1117(L)
Note on the calculation of energy levels in molecules with internal torsion, Jerome D. Swalen—1072
Nuclear quadrupole levels in single crystals, Paul M. Parker—1096
Pi-electron approximation and its possible refinement, Peter G. Lykos and Robert G. Parr—1166
Plasma oscillation of π electrons in carotenoids, Gentaro Araki—1269(L)
Proton-deuteron hyperfine structure in paramagnetic resonance: A π-σ interaction, Balu Venkataraman and George K. Fraenkel—737
Proton hyperfine interactions in semiquinone ions, R. Bersohn—1066
Quantum-mechanical study of the inductive effect, Joseph M. Cahill and Charles R. Mueller—513
Rotational magnetic moment and diamagnetic susceptibility of methane, William Weltner, Jr.—918(L)
Selection rules for a freely rotating ethane-type molecule, Robert P. Bauman—13
Semiempirical quantum-mechanical calculations for ammonia and for diimide, G. W. Wheland and P. S. K. Chen—67
"Smoothed potential" theory of chemical binding, James R. Arnold—181
Studies of the interaction between atoms and stable molecules. VI. The interaction of a Be atom with an H_2 molecule, Virginia Griffing, J. P. Hoare, and Joseph T. Vanderslice—71
Study of two-center integrals useful in calculations on molecular structure. III. A unified treatment of the hybrid, Coulomb, and one-electron integrals, Klaus Ruedenberg, C. C. J. Roothaan, and Walter Jaunzemis —201
Study of two-center integrals useful in calculations on molecular structure. IV. The auxiliary functions $C_{\alpha\beta}{}^{\gamma\delta\epsilon}(\rho_a,\rho_b)$ for $\alpha\geqslant 0$, C. C. J. Roothaan—947
Symmetry assignment of the second excited singlet electronic state of anthracene, David Fox and Shaul Yatsiv —1103(L)
Theory of the electronic spectra and structure of the polyacenes and of alternant hydrocarbons, Rudolph Pariser —250
Thomas-Fermi model of compressed atoms, Richard Latter —280
Use of local symmetry in analyzing the infrared spectra of complex molecules, Andrew D. Liehr—162(L)
Vibration-rotation interaction in polyatomic molecules. I. The zeta matrices, Janet Hawkins Meal and S. R. Polo —1119
Vibration-rotation interaction in polyatomic molecules. II. The determination of Coriolis coupling coefficients, Janet Hawkins Meal and S. R. Polo—1126

Mechanics, Statistical

Calculation of kinetic theory collision integrals by interpolation, Martin J. Reisfeld and Edward A. Mason—171(L)
Cell and cell-cluster models for liquids, H. S. Green—732
Cell model for solutions and the additivity of free energies, Stuart A. Rice—1283(L)
Chain model for polyelectrolytes. III. Equimolar polyampholytes of regularly alternating structure, Stuart A. Rice and Frank E. Harris—326
Chain model for polyelectrolytes. IV. Skeletal distribution effects in equimolar polyampholytes, Frank E. Harris and Stuart A. Rice—336
Constitutive nature of the heat capacity of gases, H. J. Bernstein—911(L)
Degradation of branched chain molecules, Robert Simha —796
Derivation of the WLF equation for the mobility of molecules in molten glasses, F. Bueche—418
Dielectric properties of ammonium iodide, Kan-Ichi Kamiyoshi—1265(L)
Dynamics of polymer molecules in dilute solution: viscoelasticity, flow birefringence, and dielectric loss, Bruno H. Zimm—269
Electrostatic free energy and other properties of states having nonequilibrium polarization. I., R. A. Marcus —979
Entropies of hydration of gaseous oxy-anions, A. P. Altshuller—642
Equation of state and elasticity of solid argon, E. R. Dobbs —477(L)
Evaluation of collision integrals occurring in higher approximations to diffusion coefficients, S. C. Saxena—1209
Flame propagation: the random walk of chemical energy, Henry Eyring, J. Calvin Giddings, and Lowell G. Tensmeyer—857
Free energy of solutions, Stuart A. Rice—357
Hole theory of liquids and the lattice approximation, Frank C. Goodrich—172(L)
Intermolecular forces in ethane, Vernon Myers—924(L)
Kinetic interpretation of the temperature dependence of infrared absorption, Theodore L. Brown—1281(L)
Kinetics of capillary shear degradation in concentrated polymer solutions, A. B. Bestul—1196
Kinetic theory of nonspherical molecules, C. F. Curtiss —225
Model for ion exchange resins, Frank E. Harris and Stuart A. Rice—1258(L)
Monolayers of linear macromolecules, H. L. Frisch and Robert Simha—652

Mechanics, Statistical (continued)
New formulation of gaseous unimolecular dissociation rates, N. B. Slater—1256(L)
Note on the theory of diffusion controlled reactions: application to photodissociation in solution, Louis Monchick —381
Potential energy of a molecule in a liquid, George H. Vineyard—617(L)
Potential energy of a molecule in a liquid: calculations for argon, L. A. Girifalco—617(L)
Power series for the temperature dependence of the heat capacity of gases, H. J. Bernstein—911(L)
Refinement of the Lennard-Jones and Devonshire theory of liquids and dense gases, William J. Taylor—454
Second virial coefficients for assemblies of nonspherical molecules, Barbara J. Castle, Laurens Jansen, and John M. Dawson—1078
Shape distribution of two-dimensional soap froths, Ryoichi Kikuchi—861
Solution of a characteristic value problem from the theory of chain molecules, Bruno H. Zimm, Glenn M. Roe, and Leo F. Epstein—279
Statistical mechanical theory of transport processes. IX. Contribution to the theory of Brownian motion, John Ross—375
Statistical thermodynamics of solutions, I. Prigogine, A. Bellemans, and A. Englert-Chowles—518
Temperature dependence of the viscosity of liquids, E. J. Hellund—1173
Theory of oxidation-reduction reactions involving electron transfer. I., R. A. Marcus—966
Vibration spectrum of graphite and boron nitride. I. The two-dimensional spectrum, Gordon F. Newell—1049
Virial coefficients of "parallel square" and "parallel cube" gases, Robert W. Zwanzig—855
Virial expansion for mixtures of rigid spheres, A. G. McLellan and B. J. Alder—115
Metals
Chemical reactions with white and gray tin, Theodore Gela —1009
"Pseudo-monocrystals" of alpha-titanium, Henry Leidheiser, Jr., and Francis J. Denise—625(L)
Question of specific heat and nature of transformation of $MgCd_3$, K. G. Homiakov, V. A. Holler, and V. A. Troshkina—486(L)
Self-diffusion in liquid gallium, Jean Petit and Norman H. Nachtrieb—1027
Self-diffusion in liquid mercury, Norman H. Nachtrieb and Jean Petit—746
Specific heat and heat of transformation of $MgCd_3$, B. M. Rosenbaum and B. Welber—485(L)
Structures and phase relationships in the tantalum-hydrogen system between −145 and 70°C, T. R. Waite, W. E. Wallace, and R. S. Craig—634(L)
Thermal diffusion in single crystals of zinc, F. R. Winter and H. G. Drickamer—492(L)
Thomas-Fermi model of compressed atoms, Richard Latter —280
Vacancies in metallic sodium, S. Machlup—169(L)
Microwave Spectra (see **Absorption Spectra**)
Molecular Films (see **Surface Phenomena**)
Molecular Spectra (see **Absorption Spectra, Emission Spectra, Fluorescence, and Raman Spectra**)
Molecular Structure and Constants (see also **Absorption Spectra, Electron, and X-Ray Diffraction**)
Absorption spectra and ionization potentials of benzene and benzene-d_6, P. G. Wilkinson—917(L)
Abundance of free atoms in solid nitrogen condensed at 4.2°K from a gas discharge, H. P. Broida and O. S. Lutes—484(L)
Analysis of the near ultraviolet absorption spectrum of pyridine *N*-oxide vapor, Mitsuo Ito and Wataru Mizushima—495
Analysis of the near ultraviolet absorption spectrum of 1,2,4,5-tetrachlorobenzene vapor, Ikuo Matubara and Tosinobu Anno—595
Appearance potential study of $CBrF_3$, A. Jacobson, J. Steigman, R. A. Strakna, and S. S. Friedland—637(L)
Application of the vibrational sum rule to halogenated ethylenes, H. J. Bernstein—910(L)
Bond length and the mean square amplitude of C−O bond in methyl alcohol, Masao Kimura, Katsumi Kimura, and Shuzo Shibata—622(L)
Calculation of intermolecular force constants from polarizabilities, Werner Brandt—501
Calculation of potential barriers for ethane-like symmetric tops, Børge Bak—918(L)
Chromic isomerism in dianthrone and its analogs, E. Harnik—297
Colors on Jupiter, Francis Owen Rice—1259(L)
Combination rules for potential parameters of unlike molecules on exp-six model, B. N. Srivastava and K. P. Srivastava—1275(L)
Correlation of infrared stretching frequencies and hydrogen bond distances in crystals, George C. Pimentel and Charles H. Sederholm—639
Correlation of symmetrical vibration frequencies, Harold T. Hahn—921(L)
Coupling between electronic and nuclear motion and Van der Waals' interaction between helium atoms, Ta-You Wu—444
Coupling between electronic and nuclear motions in molecules, Ta-You Wu and A. B. Bhatia—48
Critical ionization potentials using a parallel-plate energy selector, Dwight A. Hutchison—628(L)
Determination of molecular structures from rotational spectra measurements, T. E. Turner and J. A. Howe —924(L)
Determination of the potential constants of ozone from centrifugal distortion effects, Louis Pierce—139
Dipole moment of NF_3, M. Mashima—489(L)
Dissociation energy of carbon monoxide, Thomas E. Brackett—1103(L)
Dissociation energy of fluorine, Kurt L. Wray and Donald F. Hornig—1271(L)
Effect of hydrogen bonding on the deformation frequencies of the hydroxyl group in alcohols, A. V. Stuart and G. B. B. M. Sutherland—559
Effect of pressure on the frequency of the O−H band in butanol solutions, Erwin Fishman and H. G. Drickamer —548
Effect of sp^2 hybridization of lone pair electrons on the bond angle of nitrogen, H. F. Hameka and A. M. Liquori—1262(L)
Electron affinities, methyl affinities, and ionization energies of condensed ring aromatic hydrocarbons, F. A. Matsen —602
Electron densities in semiquinones by paramagnetic resonance, Harden M. McConnell—632(L)
Electron diffraction investigation of the molecular structure of dichlorodifluoromethane, R. L. Livingston and D. H. Lyon—1283(L)
Electronegativities and bond energies, R. T. Sanderson—166(L)
Electronegativities of the elements, Walter Gordy and W. J. Orville-Thomas—439
Electronic and vibrational states of azulene, Jerome W. Sidman and Donald S. McClure—757

Electronic spectra of *cyclo*-octatetraene, tetraphenylene, and *s*-dibenz*cyclo*-octatetraene, K. Lenore McEwen and H. C. Longuet-Higgins—771
Electronic structure of ferrocene, Masatoshi Yamazaki—1260(L)
Electronic structure of NH, NH_2, and NH_3, Jiro Higuchi—535
Emission spectra of nitrogen in the vacuum ultraviolet, P. G. Wilkinson and N. B. Houk—528
Equation of state and elasticity of solid argon, E. R. Dobbs—477(L)
Excited states of the naphthalene molecule. II. Further studies on the first singlet-singlet transition, Donald S. McClure—1
Free radicals by mass spectrometry. VIII. The ionization potentials of *para-*, *ortho-*, and *meta*-xylyl radicals, J. B. Farmer, F. P. Lossing, D. G. H. Marsden, and C. A. McDowell—52
Free radicals by mass spectrometry. IX. Ionization potentials of CF_3 and CCl_3 radicals and bond dissociation energies in some derivatives, J. B. Farmer, I. H. S. Henderson, F. P. Lossing, and D. G. H. Marsden—348
Grating measurements on $\bar{\nu}_2$ of NO_2 at 200°C, Fred L. Keller and Alvin H. Nielsen—636(L)
Hydrogen bond systems: temperature dependence of OH frequency shifts and OH band intensities, Jack N. Finch and Ellis R. Lippincott—908(L)
Improved vibrational potential for diatomic molecules, Charles LeRoy Beckel—553
Influence of Fermi resonance on the centrifugal stretching constant of a linear molecule, Gilbert Amat, Mark Goldsmith, and Harald H. Nielsen—44
Infrared absorption studies of aqueous complex ions. II. Cyanide complexes of Cu(I) in aqueous solution, Robert Penneman and Llewellyn H. Jones—293
Infrared frequency shifts and amide group interactions, C. G. Cannon—491(L)
Infrared spectra and molecular constants of gaseous tritium bromide and tritium chloride, Llewellyn H. Jones and Eugene S. Robinson—1246
Infrared spectrum and molecular constants of carbon dioxide. Part II. Levels 10°0 and 02°0, 10°1 and 02°1 coupled by Fermi resonance, Kurt Rossmann, W. L. France, K. Narahari Rao, and H. H. Nielsen—1007
Infrared spectrum and molecular constants of carbon dioxide. Part I. ν_2 of $C^{12}O_2^{16}$ at 15μ, Kurt Rossmann, K. Narahari Rao, and Harald H. Nielsen—103
Infrared spectrum of benzene-d_6, Foil A. Miller—996
Infrared spectrum of hydrogen sulfide from 2200–2800 cm^{-1}, Harry C. Allen, Jr., L. R. Blaine, Earle K. Plyler, and Paul C. Cross—35
Infrared spectrum of PF_5, J. Paul Pemsler and W. G. Planet, Jr.—920(L)
Interaction of stretching vibrations and inversion in ammonia, W. S. Benedict and Earle K. Plyler—904(L)
Iodine complexes in inert solvents. I. I_2–I_2 in carbon tetrachloride and *n*-heptane, P. A. D. de Maine—1091
Ionization and dissociation of nitrogen trifluoride by electron impact, Robert M. Reese and Vernon H. Dibeler—1175
Ionization potential of propyne, K. Watanabe and Takeshi Namioka—915(L)
Ionization potentials of ammonia and the excited states of the NH_3^+ ion, C. A. McDowell—618(L)
Ionization potentials of xylenes and picolines, K. Higasi, I. Omura, and H. Baba—623(L)
Linear extrapolation of the vibrational energy levels of ionic molecules, Charles L. Beckel—923(L)
Long wave ultraviolet spectrum of formaldehyde, A. D. Cohen and C. Reid—85
Lowest triplet state of anthracene, Madhu R. Padhye, Sean P. McGlynn, and Michael Kasha—588
Magnetic susceptibility of plutonium hexafluoride, D. M. Gruen, J. G. Malm, and B. Weinstock—905(L)
Mass spectrometry of ozone, J. T. Herron and H. I. Schiff—1266(L)
9.6 micron band of telluric ozone and its rotational analysis, L. D. Kaplan, M. V. Migeotte, and L. Neven—1183
Microwave determination of the structure of pyrrole, Børge Bak, Daniel Christensen, Lise Hansen, and John Rastrup-Andersen—720
Microwave spectrum and dipole moment of cyclopentadiene, Victor W. Laurie—635(L)
Microwave spectrum and internal barrier of acetaldehyde, Chun Chia Lin and Ralph W. Kilb—631(L)
Microwave spectrum and molecular structure of $(CH_3)_3SiBr$, J. F. Ollom, A. A. Sinisgalli, H. N. Rexroad, and R. C. Gunton—487(L)
Microwave spectrum and molecular structure of $(CH_3)_3SiI$, R. N. Rexroad, D. W. Howgate, R. C. Gunton, and J. F. Ollom—625(L)
Misassignment of the multiplicity forbidden transitions in pyridine, Graham J. Brealey—571
Molar refraction of carbon dioxide and its dependence on density when stored in steel containers, Victor H. Coffin and Clarence E. Bennett—98
Molecular complex NO_4, I. C. Hisatsune and Bryce Crawford, Jr.—1257(L)
Molecular constants of nitrous oxide from measurements of ν_2 at 17μ, K. Lakshmi, K. Narahari Rao, and H. H. Nielsen—811
Molecular form of crystalline symmetric tetrabromoethane, Masahisa Hashimoto, Takehiko Shimanouchi, and Sanichiro Mizushima—172(L)
Nature of the hydrogen bond. III. The measurement of the infrared absorption intensities of free and hydrogen-bonded OH bands. Theory of the increase of the intensity due to the hydrogen bond, Hiroshi Tsubomura—927
Near infrared spectrum of nitrous oxide, Earle K. Plyler, Eugene D. Tidwell, and Harry C. Allen, Jr.—95
Nitric oxide fundamental, J. H. Shaw—399
Normal vibration frequencies of CD_3F. Structure of CH_3F and CD_3F from infrared and microwave spectra, F. Allan Andersen, Børge Bak, and Svend Brodersen—989
Out of the plane bending vibrations of planar molecules, C. J. S. M. Simpson—1108(L)
Photochemical evidence relative to the excited states of oxygen, David H. Volman—122
Photodecomposition of formaldehyde; the stability of the HCO radical, Ralph Klein and Louis J. Schoen—1094
Plasma oscillation of π electrons in carotenoids, Gentaro Araki—1269(L)
Polymorphism of *para*-dichlorobenzene, C. Dean and E. Lindstrand—1114(L)
Proton magnetic resonance of hydrocarbons, J. A. Pople—1111(L)
Quadrupole coupling and bond character in the vinyl halides, J. H. Goldstein—106
Quantum-mechanical study of the inductive effect, Joseph M. Cahill and Charles R. Mueller—513
Rotational magnetic moment and diamagnetic susceptibility of methane, William Weltner, Jr.—918(L)
Rotation-resisting energy barrier in the nitric acid molecule, Henry Cohn, C. K. Ingold, and H. G. Poole—162(L)
Rotation-vibration spectra of deuterated water vapor, W. S. Benedict, N. Gailar, and Earle K. Plyler—1139
Selection rules for a freely rotating ethane-type molecule, Robert P. Bauman—13

Molecular Structure and Constants (continued)
Semiempirical quantum-mechanical calculations for ammonia and for diimide, G. W. Wheland and P. S. K. Chen—67
Stability of ethlidene radicals, G. B. Kistiakowsky and Bruce H. Mahan—922(L)
Stretching force constant of the carbonyl bond in unconjugated ketones, J. O. Halford—830
Structure of ozone from the microwave spectrum between 9000 and 45 000 Mc, Richard H. Hughes—131
Substituted ethanes. IV. The rotational isomers of 1,1,2,2-tetrachloroethane: assignments of the normal vibrations, James P. Zietlow, Forrest F. Cleveland, and Arnold G. Meister—142
Symmetry assignment of the second excited singlet electronic state of anthracene, David Fox and Shaul Yatsiv —1103(L)
Theory of the electronic spectra and structure of the polyacenes and of alternant hydrocarbons, Rudolph Pariser —250
Vibrational spectra of organosilicon compounds. I. Vinyltrichlorosilane, E. R. Shull, R. A. Thursack, and C. M. Birdsall—147
Vibrational spectrum of CF_3CN, Walter F. Edgell and Ralph M. Potter—80
Vibrational spectrum of tetrabromoethylene, D. E. Mann, J. H. Mela, and Earle K. Plyler—1018
Vibration spectra of some mixed halides of boron, Louis P. Lindeman and M. Kent Wilson—242
Zeeman quadrupole spectra of *p*-chloroaniline and *p*-chlorobenzylchloride, Harlan C. Meal—1011
Zinc and cadmium chloride complexes in molten salts, M. A. Bredig and E. R. Van Artsdalen—478(L)

Nuclear Quadrupole Resonance
Nuclear quadrupole levels in single crystals, Paul M. Parker—1096
Polymorphism of *para*-dichlorobenzene, C. Dean and E. Lindstrand—1114(L)
Pure quadrupole spectra of phosphonitrile chlorides, Hisao Negita and Sumio Satou—621(L)
Quadrupolar splitting of the Al^{27} and Be^{9} magnetic resonance in beryl crystals, L. Carlton Brown and Dudley Williams—751
Zeeman quadrupole spectra of *p*-chloroaniline and *p*-chlorobenzylchloride, Harlan C. Meal—1011

Nuclear Resonance (see **Magnetic Resonance**)

Phase Transitions
Behavior of liquid-crystal compounds near the isotropic-anisotropic transition, W. A. Hoyer and A. W. Nolle —803
Evaporation of perfect crystals, Gerald W. Sears—868
Germanium-oxygen system, F. A. Trunbore, C. D. Thurmond, and M. Kowalchik—1112(L)
Growth and some properties of a large single crystal of cadmium selenide, D. M. Heinz and E. Banks—391
Isotherms in the critical regions of carbon dioxide and sulfur hexafluoride, R. H. Wentorf, Jr.—607
Observations of ion separation in dilute solutions by freezing, James P. Lodge, Miriam L. Baker, and John M. Pierrard—716
Question of specific heat and nature of transformation of $MgCd_3$, K. G. Homiakov, V. A. Holler, and V. A. Troshkina—486(L)
Specific heat and heat of transformation of $MgCd_3$, B. M. Rosenbaum and B. Welber—485(L)
Structures and phase relationships in the tantalum-hydrogen system between −145 and 70°C, T. R. Waite, W. E. Wallace, and R. S. Craig—634(L)
Theory of crystal growth in undercooled pure liquids, W. B. Hillig and D. Turnbull—914(L)
Use of vapor pressure measurements for the determination of phase equilibrium diagrams of condensed binary mixtures, R. Heastie—490(L)
Vapor phase crystallization of cadmium sulfide crystals, J. M. Stanley—1279(L)

Phosphors
Luminescence spectra of samarium in barium titanate at its transition, Keichi Oshima, Sohachiro Hayakawa, Hiroshi Nagano, and Mahoko Nagusa—903(L)
Magnetic effects in phosphors under illumination, W. D. Hershberger—168(L)

Photochemistry
Adsorption and photoexcited adsorption of oxygen on zinc sulfide, A. Kobayashi and S. Kawaji—907(L)
Dependence of Joshi effect on the frequency of the applied voltage, M. B. Deshmukh—472(L)
First-order decomposition of excited aniline molecules in the vapor phase, B. Stevens—1272(L)
Isotopic effects and collisional deactivation in the mercury photosensitized decomposition of ethylene, A. B. Callear and R. J. Cvetanović—873
Mercury photosensitized reaction of cyclo-octatetraene, Hideo Yamazaki and Shoji Shida—1278(L)
Metastable states of photoexcited ovalbumin and constituents, L. I. Grossweiner—1255(L)
Note on the theory of diffusion controlled reactions: application to photodissociation in solution, Louis Monchick —381
Photochemical evidence relative to the excited states of oxygen, David H. Volman—122
Photodecomposition of formaldehyde; the stability of the HCO radical, Ralph Klein and Louis J. Schoen—1094
Photolysis of acetone in the absence of mercury, K. O. Kutschke and D. E. McElcheran—618(L)
Photolysis of ethane at 1470 A, M. H. J. Wijnen—851
Rate of recombination of radicals. I. A general sector theory; a correction to the methyl radical recombination rate, Allan Shepp—939
Rate of recombination of radicals. II. The rate of recombination of trifluoromethyl radicals, P. B. Ayscough—944
Vacuum ultraviolet photochemistry. Part III. Acetylene at 1849 A, Murray Zelikoff and Leonard M. Aschenbrand —1034

Photoconductivity
Spectroscopic properties of organic photoconductors. I. Absorption spectra of cationic dye films, John W. Weigl —364
Spectroscopic properties of organic photoconductors. II. Specular reflection spectra of cationic dye films, John W. Weigl—577
Spectroscopic properties of organic photoconductors. III. Action spectra for the photoconduction of actionic dye films, John W. Weigl—883
Surface area and particle size of evaporated lead sulfide films, Roy H. Harada—447

Polymers
Average dielectric relaxation time obtained by means of Cole plots, Sol Zaromb—1110(L)
Chain model for polyelectrolytes. III. Equimolar polyampholytes of regularly alternating structure, Stuart A. Rice and Frank E. Harris—326
Chain model for polyelectrolytes. IV. Skeletal distribution effects in equimolar polyampholytes, Frank E. Harris and Stuart A. Rice—336
Comparison of infrared and cryoscopic studies of solutions of pyrrole in nonpolar solvents. Formation of polymers, Marie-Louise Josien, Paul Pineau, Marcel Paty, and Nelson Fuson—1261(L)

Degradation of branched chain molecules, Robert Simha —796
Derivation of the WLF equation for the mobility of molecules in molten glasses, F. Bueche—418
Dielectric dispersion of polyvinyl acetate in toluene, William G. Hammerle and John G. Kirkland—1277(L)
Donor-acceptor complex formation by high polymers, D. F. Evans—1244
Dynamics of polymer molecules in dilute solution: viscoelasticity, flow birefringence, and dielectric loss, Bruno H. Zimm—269
Effect of elongation on the proton magnetic resonance of natural rubber, Keichi Oshima and Hazime Kusumoto —913(L)
Erratum: Excluded volume in polymer chains, Marshall Fixman—174(L)
Kinetics of capillary shear degradation in concentrated polymer solutions, A. B. Bestul—1196
Non-Newtonian viscoelastic properties of rod-like macromolecules in solution, John G. Kirkwood and Richard J. Plock—665
Question of the correct values for Rayleigh's ratio, D. K. Carpenter and W. R. Krigbaum—1041
Solution of a characteristic value problem from the theory of chain molecules, Bruno H. Zimm, Glenn M. Roe, and Leo F. Epstein—279
Stabilization and coagulation of colloidal solutions with polyelectrolytes, Wilfried Heller and Thomas L. Pugh —1107(L)
Variation of viscosity of coiling polymers with shear rate, F. Bueche, J. K. Wood, and J. R. Wray—903(L)

Proteins
Interpretation of infrared dichroism in fibrous proteins—the 2μ region, R. D. B. Fraser—89
Metastable states of photoexcited ovalbumin and constituents, L. I. Grossweiner—1255(L)
Structure of feather keratin, S. Krimm and R. Schor—922(L)

Quadrupole Resonance
Quadrupole coupling and bond character in the vinyl halides, J. H. Goldstein—106

Quantum Mechanics (see **Mechanics, Quantum**)

Radiation Chemistry
Bond rupture and nonrupture in the beta decay of carbon-14 studied by double isotopic labeling, Richard L. Wolfgang, R. Christian Anderson, and Richard W. Dodson —16
Excitation and dissociation of molecules due to β decay of a constituent atom, Max Wolfsberg—24
Iodide-metaphosphate glass, Arthur Hilsenrod and Bernard Gehauf—914(L)
Irradiation of chloral hydrate solutions, Arthur Hilsenrod —917(L)
Luminescence of ice subjected to ionizing radiation, J. A. Ghormley—1111(L)
Mechanism in the radiolysis of aqueous formic acid solutions, Warren M. Garrison, Winifred Bennett, and Michael Jayko—631(L)
Mechanism in the radiolysis of aqueous glycine solutions, Warren M. Garrison and Boyd M. Weeks—616(L)
Proton transfer in the radiation chemistry of gaseous ammonia, Antoine B. Zahlan and Benjamin P. Burtt—478(L)
Radiation chemistry of *n*-hexane and *cyclo*hexane liquids, H. A. Dewhurst—1254(L)
Radiation-induced coloring of sodium azide, Hyman Rosenwasser, Russell W. Dreyfus, and Paul W. Levy—184
Study of organic scintillators, Raymond C. Sangster and John W. Irvine, Jr.—670
Yield of the ferrous sulfate radiation dosimeter: an improved cathode-ray determination, Robert H. Schuler and Augustine O. Allen—56

Radiochemistry
Bond rupture and nonrupture in the beta decay of carbon-14 studied by double isotopic labeling, Richard L. Wolfgang, R. Christian Anderson, and Richard W. Dodson —16
Excitation and dissociation of molecules due to β decay of a constituent atom, Max Wolfsberg—24
New type of beta-, gamma-ray detector, E. W. Godbole —166(L)
Preparation of the rare isotope Ne^{21}, P. A. K. Clusius, M. Huber, H. Hürzeler, and E. Schumacher—167(L)
Search for technetium-98 by neutron activation analysis, Edward Anders, R. N. Sen Sarma, and P. H. Kato—622(L)

Raman Spectra
Calculation of depolarization factors of the Raman lines of CBr_3X molecules, Robert H. Krupp, Salvador M. Ferigle, and Alfons Weber—355
CF_3CN, Walter F. Edgell and Ralph M. Potter—80
Ethylene oxide and ethylene oxide-d_4, R. C. Lord and B. Nolin—656
Fluorinated aromatics. XII. *m*-fluorochlorobenzene, F. W. Harris, N. A. Narasimham, and J. Rud Nielsen—1232
Fluorinated aromatics. XI. *o*-Fluorochlorobenzene, N. A. Narasimham and J. Rud Nielsen—433
Fluorinated aromatics. X. *p*-Fluorochloro, *p*-fluorobromo-, and *p*-fluoroiodobenzene, N. A. Narasimham, M. Z. El-Sabban, and J. Rud Nielsen—420
Hydrogen peroxide in condensed phases. I. The spectra of the pure liquid and its aqueous solutions, Robert C. Taylor and Paul C. Cross—41
Hydronium ion, J. T. Mullhaupt and D. F. Hornig—169(L)
Liquid and solid hydrogen, Elizabeth J. Allen, T. Feldman, and H. L. Welsh—1116(L)
Vinyltrichlorosilane, E. R. Shull, R. A. Thursack, and C. M. Birdsall—147
Zinc and cadmium chloride complexes in molten salts, M. A. Bredig and E. R. Van Artsdalen—478(L)

Reaction Rates (see **Kinetics of Reaction**)

Rotation
Asymmetric rotor. Convergence in the continued-fraction expansion of the reduced energies, D. W. Posener—546

Rotational Isomerism
Calculation of potential barriers for ethane-like symmetric tops, Børge Bak—918(L)
Note on the calculation of energy levels in molecules with internal torsion, Jerome D. Swalen—1072
Rotational isomerism in 1,2-dibromo-2,2-difluorethane, R. E. Kagarise—1264(L)
Rotation-resisting energy barrier in the nitric acid molecule, Henry Cohn, C. K. Ingold, and H. G. Poole—162(L)
Selection rules for a freely rotating ethane-type molecule, Robert P. Bauman—13
Substituted ethanes. IV. The rotational isomers of 1,1,2,2-tetrachloroethane: assignments of the normal vibrations, James P. Zietlow, Forrest F. Cleveland, and Arnold G. Meister—142

Scattering
Elastic and inelastic scattering of low-velocity H^- ions in hydrogen, E. E. Muschlitz, Jr., T. L. Bailey, and J. H. Simons—1202

Sedimentation
Effects of a concentration dependence of the sedimentation coefficient in velocity ultracentrifugation, Hiroshi Fujita —1084
Semiconductors
Germanium-oxygen system, F. A. Trunbore, C. D. Thurmond, and M. Kowalchik—1112(L)
Russell effect in silicon and germanium, A. J. Ahearn and J. T. Law—633(L)
Shock Waves (see also **Detonation**)
Shock front thickness and bulk viscosity in polyatomic gases, W. H. Andersen and D. F. Hornig—767
Simultaneous light-absorption and emission measurements behind a shock wave, F. Harshbarger—1261(L)
Solutions (see also **Liquids**)
Cell model for solutions and the additivity of free energies, Stuart A. Rice—1283(L)
Chain model for polyelectrolytes. III. Equimolar polyampholytes of regularly alternating structure, Stuart A. Rice and Frank E. Harris—326
Chain model for polyelectrolytes. IV. Skeletal distribution effects in equimolar polyampholytes, Frank E. Harris and Stuart A. Rice—336
Comparison of infrared and cryscopic studies of solutions of pyrrole in nonpolar solvents. Formation of polymers, Marie-Louise Josien, Paul Pineau, Marcel Paty, and Nelson Fuson—1261(L)
Derivation of the WLF equation for the mobility of molecules in molten glasses, F. Bueche—418
Effect of pressure on the frequency of the O—H band in butanol solutions, Erwin Fishman and H. G. Drickamer —548
Energetics and stability of intermolecular complexes in solution, S. R. Mohanty—170(L)
Entropies of hydration of gaseous oxy-anions, A. P. Altshuller—642
Free energy of solutions, Stuart A. Rice—357
Homogenization of solid solutions. A proposed new technique, Fred M. Acampora, Albert S. Tompa, and Norman O. Smith—1104(L)
Infrared absorption studies of aqueous complex ions. II. Cyanide complexes of Cu(I) in aqueous solution, Robert Penneman and Llewellyn H. Jones—293
Infrared studies on the solvent-solute interactions, Tsuneo Yoshino—76
Iodine complexes in inert solvents. I. I_2—I_2 in carbon tetrachloride and *n*-heptane, P. A. D. de Maine—1091
Nuclear magnetic relaxation of nonuniform systems, S. Broersma—659
Solid solutions of ice and NH_4F and their dielectric properties, Sol Zaromb and Rudolf Brill—895
Solvent effects in aromatic π-π electronic spectra, J. Ferguson—1263(L)
Stabilization and coagulation of colloidal solutions with polyelectrolytes, Wilfried Heller and Thomas L. Pugh —1107(L)
Statistical thermodynamics of solutions, I. Prigogine, A. Bellemans, and A. Englert-Chowles—518
Structures and phase relationships in the tantalum-hydrogen system between −145 and 70°C, T. R. Waite, W. E. Wallace, and R. S. Craig—634(L)
Temperature dependence of infrared absorption, R. H. Hughes, R. J. Martin, and N. D. Coggeshall—489(L)
Zinc and cadmium chloride complexes in molten salts, M. A. Bredig and E. R. Van Artsdalen—478(L)
Spectra (see **Absorption Spectra, Emission Spectra, Fluorescence, Raman Spectra**)
Statistical Mechanics (see **Mechanics, Statistical**)
Surface Phenomena
Abundance of free atoms in solid nitrogen condensed at 4.2°K from a gas discharge, H. P. Broida and O. S. Lutes—484(L)
Ac conductivity study of oxygen chemisorption on PbS, M. Silver and V. R. Honnold—1281(L)
Absorption and photoexcited adsorption of oxygen on zinc sulfide, A. Kobayashi and S. Kawaji—907(L)
Adsorption of He^3 and He^4 on activated charcoal, C. J. Hoffman, F. J. Edeskuty, and E. F. Hammel—124
Adsorption of methylene blue on a positively charged mercury surface, J. M. Los and C. K. Tompkins—630(L)
Adsorption studies on clay minerals. VI. Alkali ions on attapulgite, C. Neale Merriam, Jr., and Henry C. Thomas—993
Binding states of diatomic molecules on tungsten, T. W. Hickmott and Gert Ehrlich—1263(L)
Elementary steps in catalytic exchange reactions, J. Adam, R. Coekelbergs, A. Frennet, and P. A. Gosselain—1267(L)
Enhanced oxidation of platinum in activated oxygen, George C. Fryburg—175
Errata: Infrared absorption spectrum of deuterated polyvinyl alcohol film, Hiroyuki Tadokoro, Syûzô Seki, and Isamu Nitta—1118(L)
Evaporation of perfect crystals, Gerald W. Sears—868
Infrared spectra of chemisorbed olefins and acetylene, W. A. Pliskin and R. P. Eischens—482(L)
Method for the determination of the surface tension of solids, from their melting points in thin wedges, Richard C. Sill and Adam S. Skapski—644
Monolayers of linear macromolecules, H. L. Frisch and Robert Simha—652
Nuclear magnetic resonance as a method for detecting relaxation phenomena of molecules adsorbed on surfaces, N. Fuschillo and J. G. Aston—1277(L)
Observation of anomalous dispersion of adsorbed films by ellipsometry, L. S. Bartell—1108(L)
Russell effect in silicon and germanium, A. J. Ahearn and J. T. Law—633(L)
Shape distribution of two-dimensional soap froths, Ryoichi Kikuchi—861
Spectroscopic properties of organic photoconductors. I. Absorption spectra of cationic dye films, John W. Weigl —364
State of nitrogen adsorbed on tungsten. II., Gert Ehrlich —482(L)
Surface area and particle size of evaporated lead sulfide films, Roy H. Harada—447
Surface diffusion of hydrogen and oxygen on tungsten, R. Wortman, R. Gomer, and R. Lundy—161(L)
Surface tension of liquids: a note on a paper by Simons and Wilson, Donald J. Simkin—616(L)
Use of interpolation theory in the analysis of gas adsorption isotherms. III. Application to low-temperature data, J. M. Honig—510
V-centers in evaporated alkali halide films, K. J. Teegarden—161(L)
Thermal Diffusion
Erratum: Thermal diffusion in polymer solutions, A. H. Emery, Jr., and H. G. Drickamer—620(L)
Evaluation of collision integrals occurring in higher approximations to diffusion coefficients, S. C. Saxena—1209
Kinetic theory of nonspherical molecules, C. F. Curtiss—225
Separation of some isotopes by convection diffusion, D. Heymann and J. Kistemaker—165(L)

Thermal diffusion in single crystals of zinc, F. R. Winter and H. G. Drickamer—492(L)

Thermodynamic Properties

Absorption spectra and ionization potentials of benzene and benzene-d_6, P. G. Wilkinson—917(L)

Appearance potential study of $CBrF_3$, A. Jacobson, J. Steigman, R. A. Strakna, and S. S. Friedland—637(L)

Behavior of liquid-crystal compounds near the isotropic-anisotropic transition, W. A. Hoyer and A. W. Nolle —803

Binding states of diatomic molecules on tungsten, T. W. Hickmott and Gert Ehrlich—1263(L)

Boiling point and critical temperature of *n*-paraffins, V. S. Gupta—164(L)

Comparison of infrared and cryoscopic studies of solutions of pyrrole in nonpolar solvents. Formation of polymers, Marie-Louise Josien, Paul Pineau, Marcel Paty, and Nelson Fuson—1261(L)

Constitutive nature of the heat capacity of gases, H. J. Bernstein—911(L)

Critical ionization potentials using a parallel-plate energy selector, Dwight A. Hutchison—628(L)

Debye characteristic temperature at 0°K of certain cubic crystals, Jules de Launay—1071

Dissociation energy of carbon monoxide, Thomas E. Brackett—1103(L)

Dissociation energy of fluorine, Kurt L. Wray and Donald F. Hornig—1271(L)

Dissociation energy of gaseous LaO, William A. Chupka, Mark G. Inghram, and Richard F. Porter—792

Electron affinities, methyl affinities, and ionization energies of condensed ring aromatic hydrocarbons, F. A. Matsen —602

Electronegativities and bond energies, R. T. Sanderson—166(L)

Entropies of hydration of gaseous oxy-anions, A. P. Altshuller—642

Free radicals by mass spectrometry. VIII. The ionization potentials of *para-*, *ortho-*, and *meta*-xylyl radicals, J. B. Farmer, F. P. Lossing, D. G. H. Marsden, and C. A. McDowell—52

Free radicals by mass spectrometry. IX. Ionization potentials of CF_3 and CCl_3 radicals and bond dissociation energies in some derivatives, J. B. Farmer, I. H. S. Henderson, F. P. Lossing, and D. G. H. Marsden—348

Germanium-oxygen system, F. A. Trumbore, C. D. Thurmond, and M. Kowalchik—1112(L)

Hydration energy of ions, Chimao Komatsu and Jun-ichi Shimokawa—1253(L)

Ionization and dissociation of nitrogen trifluoride by electron impact, Robert M. Reese and Vernon H. Dibeler —1175

Ionization potential of propyne, K. Watanabe and Takeshi Namioka—915(L)

Ionization potentials of ammonia and the excited states of the NH_3^+ ion, C. A. McDowell—618(L)

Ionization potentials of xylenes and picolines, K. Higasi, I. Omura, and H. Baba—623(L)

Linear extrapolation of the vibrational energy levels of ionic molecules, Charles L. Beckel—923(L)

Magnetic susceptibility study of the liquid phase equilibrium $N_2O_4 \rightleftharpoons 2NO_2$ in pure nitrogen tetroxide, A. Greenville Whittaker—780

Molecular rotation and translation in crystals. Nuclear magnetic resonance absorption, heat capacity, and entropy of crystalline solid solutions of 2,2-dimethylbutane in 2,3-dimethylbutane from 10°K to 273°K, John G. Aston, H. Segall, and N. Fuschillo—1061

Power series for the temperature dependence of the heat capacity of gases, H. J. Bernstein—911(L)

Pressure coefficient of the dielectric constant of water, John G. Mavroides—398

Question of specific heat and nature of transformation of $MgCd_3$, K. G. Homiakov, V. A. Holler, and V. A. Troshkina—486(L)

Specific heat and heat of transformation of $MgCd_3$, B. M. Rosenbaum and B. Welber—485(L)

Spectrophotometric study of the liquid-phase equilibrium $N_2O_4 \rightleftharpoons 2NO_2$ in pure nitrogen tetroxide, C. M. Steese and A. Greenville Whittaker—776

Thermal expansion and stability of layer structures in ionic *AB* compounds, M. A. Bredig—1037

Thermodynamic functions of cyanogen and the equilibrium constants for the reactions $\frac{1}{2}C_2N_2 \rightleftharpoons CN$ between 1000° and 4500°K, Emile Rutner, William H. McLain, Jr., and Karl Scheller—173(L)

Thermodynamic properties of gaseous zirconium, Harwood G. Kolsky and Paul W. Gilles—828

Use of mass spectrometric appearance potentials in thermochemical calculations. I. Consistency relationships for methane and substituted methanes, and the heat of formation of CH_3F, John L. Margrave—475(L)

Use of mass spectrometric appearance potentials in thermochemical calculations. II. Chlorofluoromethanes and the dissociation energy of fluorine, John L. Margrave —476(L)

Vapor pressure of sebaconitrile, Martin H. Kaufman and A. Greenville Whittaker—1104(L)

Vibration spectrum of graphite and boron nitride. I. The two-dimensional spectrum, Gordon F. Newell—1049

Thermodynamics

Exact method for the calculation of coexistent densities from Van der Waals' type equations: a correction, Sidney W. Benson and Charles S. Copeland—905(L)

Thermoluminescence

Thermoluminescence of some aromatic hydrocarbons, J. Sharma—39

Transport Phenomena

Calculation of kinetic theory collision integrals by interpolation, Martin J. Reisfeld and Edward A. Mason—171(L)

Criterion for allowable angular deviation in schlieren measurements of the Soret coefficient, James A. Bierlein and Charles R. Finch—486(L)

Dependence of Joshi effect on the frequency of the applied voltage, M. B. Deshmukh—472(L)

Derivation of the WLF equation for the mobility of molecules in molten glasses, F. Bueche—418

Dynamics of polymer molecules in dilute solution: viscoelasticity, flow birefringence and dielectric loss, Bruno H. Zimm—269

Elastic and inelastic scattering of low-velocity H^- ions in hydrogen, E. E. Muschlitz, Jr., T. L. Bailey, and J. H. Simons—1202

Electrodiffusion: a fluctuation method for measuring reaction rates, Karol J. Mysels—371

Evaluation of collision integrals occurring in higher approximations to diffusion coefficients, S. C. Saxena—1209

Flame propagation: the random walk of chemical energy, Henry Eyring, J. Calvin Giddings, and Lowell G. Tensmeyer—857

Kinetics of capillary shear degradation in concentrated polymer solutions, A. B. Bestul—1196

Kinetic theory of nonspherical molecules, C. F. Curtiss—225

Model for ion exchange resins, Frank E. Harris and Stuart A. Rice—1258(L)

Transport Phenomena (continued)
Note on the theory of diffusion controlled reactions: application to photodissociation in solution, Louis Monchick —381
Proton conductance and the existence of the H_3O^+ ion, B. E. Conway, J. O'M. Bockris and Hedda Linton—834
Separation of some isotopes by convection diffusion, D. Heymann and J. Kistemaker—165(L)
Shock front thickness and bulk viscosity in polyatomic gases, W. H. Andersen and D. F. Hornig—767
Solution of a characteristic value problem from the theory of chain molecules, Bruno H. Zimm, Glenn M. Roe, and Leo F. Epstein—279
Statistical mechanical theory of transport processes. IX. Contribution to the theory of Brownian motion, John Ross—375
Temperature as a determinant of the current under electrodeless discharge, S. R. Mohanty—167(L)

Ultrasonics
Molecular absorption of sound in gases at high temperatures, James E. Young and Osman K. Mawardi—1109 (L)
Temperature dependence of ultrasonic velocity in amyl acetate-toluene mixtures, G. S. Verma and S. K. Kor —163(L)

Valence and Chemical Bond
Electronegativities and bond energies, R. T. Sanderson—166(L)
Electronegativities of the elements, Walter Gordy and W. J. Orville-Thomas—439
Electronic structure of ferrocene, Masatoshi Yamazaki—1260(L)
Ligand field theory and the stability of transition metal compounds, Philip George, D. S. McClure, J. S. Griffith, and L. E. Orgel—1269(L)
"Smoothed potential" theory of chemical binding, James R. Arnold—181

Viscosity
Dynamics of polymer molecules in dilute solution: viscoelasticity, flow birefringence, and dielectric loss, Bruno H. Zimm—269
Kinetics of capillary shear degradation in concentrated polymer solutions, A. B. Bestul—1196
Non-Newtonian viscoelastic properties of rod-like macromolecules in solution, John G. Kirkwood and Richard J. Plock—665
Relation between viscosity and surface tension of liquids, Nitish Kumar and Sanyal and Shashanka Shekhar Mitra —473(L)
Shock front thickness and bulk viscosity in polyatomic gases, W. H. Andersen and D. F. Hornig—767
Temperature dependence of the viscosity of liquids, E. J. Hellund—1173
Variation of viscosity of coiling polymers with shear rate, F. Bueche, J. K. Wood, and J. R. Wray—903(L)
Viscous flow and the constitution of liquid boron trioxide, J. D. Mackenzie—925(L)

X-Ray Diffraction
Chemical reactions with white and gray tin, Theodore Gela—1009
Crystal structure of gadolinium orthoferrite, $GdFeO_3$, S. Geller—1236
Erratum: X-ray diffraction study of four reinforcing carbon blacks, Leroy Alexander and Stephen R. Darin —1118(L)
Icosahedral coordination number 12, D. S. Martin, Jr., R. E. Rundle, and S. A. Golden—1114(L)
"Pseudo-monocrystals" of alpha-titanium, Henry Leidheiser, Jr., and Francis J. Denise—625(L)
Structure of feather keratin, S. Krimm and R. Schor—922(L)
X-ray study of tellurium oxide glass, G. W. Brady—477(L)